
Posted by [lakor](#) on Mon, 25 Aug 2008 07:32:47 GMT

[View Forum Message](#) <> [Reply to Message](#)

gentoo1 ~ # uname -a

Linux gentoo1 2.6.18-028stab053 #6 SMP Thu Jul 31 11:34:16 MSD 2008 i686 Intel(R) Xeon(R)
CPU 3060 @ 2.40GHz GenuineIntel GNU/Linux

Copyright (C) 2000-2007 SWsoft. All rights reserved.

#

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

#

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

#

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
#

ONBOOT="yes"

UBC parameters (in form of barrier:limit)

KMEMSIZE="11055923:11377049"

LOCKEDPAGES="256:256"

PRIVVMPAGES="65536:69632"

SHMPAGES="21504:21504"

NUMPROC="240:240"

PHYS_PAGES="0:2147483647"

VMGUAR_PAGES="33792:2147483647"

OOMGUAR_PAGES="26112:2147483647"

NUMTCP_SOCKET="360:360"

NUMFLOCK="188:206"

NUMPTY="16:16"

```
NUMSIGINFO="256:256"
TCPSNDBUF="1720320:2703360"
TCPRCVBUF="1720320:2703360"
OTHERSOCKBUF="1126080:2097152"
DGRAMRCVBUF="262144:262144"
NUMOTHERSOCK="360:360"
DCACHESIZE="3409920:3624960"
NUMFILE="9312:9312"
AVNUMPROC="180:180"
NUMIPTENT="128:128"
```

```
# Disk quota parameters (in form of softlimit:hardlimit)
#DISKSPACE="1048576:1153024"
DISKSPACE="1572864:1572864"
DISKINODES="200000:220000"
QUOTATIME="0"
```

```
# CPU fair sheduler parameter
CPUUNITS="1000"
```

```
VE_ROOT="/vz/root/$VEID"
VE_PRIVATE="/vz/private/$VEID"
OSTEMPLATE="opensuse-10-i386-default"
ORIGIN_SAMPLE="vps.basic"
IP_ADDRESS="10.200.3.20"
HOSTNAME="radius1"
```

```
radius1:/ # cat /etc/issue
```

```
Welcome to openSUSE 10.2 (i586) - Kernel \r (\l).
```

```
freeradius-1.1.7-9.suse1010.i586.rpm
net-snmp-5.3.0.1-25.22.i586.rpm
```

```
radius1:/ # service radiusd start
Starting RADIUS daemon                               done
radius1:/ # ps aux | grep radiusd
root    5582  0.0  0.1 1576  516 pts/1   S   11:21   0:00 logger -p local3.info -t radiusd
root    5583 98.5  0.5 4728 1448 pts/1   R   11:21   0:36 /opt/radius/sbin/radiusd -x
root    5586  0.0  0.1 1692  488 pts/1   S+  11:21   0:00 grep radiusd
radius1:/ #
```

```
radius1:/ # netstat -anep
Active Internet connections (servers and established)
Proto Recv-Q Send-Q Local Address           Foreign Address         State       User        Inode
PID/Program name
tcp    0      0 127.0.0.1:2544         0.0.0.0:*               LISTEN      0           4483066    12274/zmd
tcp    0      0 127.0.0.1:25          0.0.0.0:*               LISTEN      0           4483289    13386/master
tcp    0      0 0.0.0.0:111           0.0.0.0:*               LISTEN      0           4483051    12224/portmap
tcp    0      0 :::22                  :::*                    LISTEN      0           4483111    13322/sshd
tcp    0      0 :::1:25                :::*                    LISTEN      0           4483291    13386/master
tcp    0  656 10.200.3.20:22         10.10.50.244:3020      ESTABLISHED 0           4932527
3749/0
udp    0      0 0.0.0.0:111           0.0.0.0:*               0           4483050    12224/portmap
```

```
radius1:/ # strace /opt/radius/sbin/radiusd -x 2> out
Starting - reading configuration files ...
```

```
.....
mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0xb7f42000
read(6, "#\n# clients.conf - client config"..., 4096) = 2937
read(6, "", 4096) = 0
close(6) = 0
munmap(0xb7f42000, 4096) = 0
stat64("/etc/raddb/snmp.conf", {st_mode=S_IFREG|0640, st_size=1405, ...}) = 0
open("/etc/raddb/snmp.conf", O_RDONLY|O_LARGEFILE) = 6
fstat64(6, {st_mode=S_IFREG|0640, st_size=1405, ...}) = 0
mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0xb7f42000
read(6, "#\n# snmp.conf - snmp configurati"..., 4096) = 1405
read(6, "", 4096) = 0
```

```

close(6) = 0
munmap(0xb7f42000, 4096) = 0
read(4, "find that the server is regular!...", 4096) = 4096
read(4, "he locations of the 'passwd', 's'...", 4096) = 4096
stat64("/etc/raddb/eap.conf", {st_mode=S_IFREG|0640, st_size=10977, ...}) = 0
open("/etc/raddb/eap.conf", O_RDONLY|O_LARGEFILE) = 6
fstat64(6, {st_mode=S_IFREG|0640, st_size=10977, ...}) = 0
mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0xb7f42000
read(6, "# *- text *-\\n#\\n# Whatever you...", 4096) = 4096
read(6, "rt.pem\\n\\n\\n\\t\\t#\\n\\t\\t# For DH ciphe...", 4096) = 4096
read(6, " will be taken from the reply to...", 4096) = 2785
read(6, "", 4096) = 0
close(6) = 0
munmap(0xb7f42000, 4096) = 0
read(4, "{raddbdir}/ldap.attrmap\\n\\n\\t\\tldap_...", 4096) = 4096
read(4, "null = no\\n\\t\\t\\n\\t# A simple valu...", 4096) = 4096
read(4, "r}/users\\n\\t\\tacctusersfile = ${con"..., 4096) = 4096
stat64("/etc/raddb/sql.conf", {st_mode=S_IFREG|0640, st_size=16480, ...}) = 0
open("/etc/raddb/sql.conf", O_RDONLY|O_LARGEFILE) = 6
fstat64(6, {st_mode=S_IFREG|0640, st_size=16480, ...}) = 0
mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0xb7f42000
read(6, "#\\n# Configuration for the SQL m"..., 4096) = 4096
read(6, " no\\n\\n\\t#####"..., 4096) = 4096
read(6, "AcctSessionTime=unix_timestamp(\""..., 4096) = 4096
read(6, "-Output-Gigawords:-0}\\' << 32 | \\\""..., 4096) = 4096
read(6, "\\t#\\n\\t# Set to 'yes' to read radiu"..., 4096) = 96
read(6, "", 4096) = 0
close(6) = 0
munmap(0xb7f42000, 4096) = 0
read(4, ":\\t\\t${confdir}/pgsql-voip.conf\\n\\t#"..., 4096) = 4096
read(4, "on each login\\n\\t# we send back t"..., 4096) = 4096
read(4, "\\tproxy-reply\\tattributes from the"..., 4096) = 4096
read(4, "Timeout = `%{expr:2 + 3}\\n\\t#\\n\\t#"..., 4096) = 4096
read(4, "d passwords\\n\\t# won't work.\\n\\tAut"..., 4096) = 4096
read(4, "\\nostrip' option in the 'realm\\'\\n"..., 4096) = 242
read(4, "", 4096) = 0
close(4) = 0
munmap(0xb7f43000, 4096) = 0
open("/etc/raddb/dictionary", O_RDONLY|O_LARGEFILE) = 4
stat64("/etc/raddb/dictionary", {st_mode=S_IFREG|0644, st_size=940, ...}) = 0
open("/dev/urandom", O_RDONLY|O_LARGEFILE) = 6
read(6, "t@[252\\212D\\262\\336\\356$A\\354)\\316\\203\\225\\302\\26\\337"..., 1024) = 512
read(6, "", 512) = 0

read(6, "", 512) = 0

```

