

---

Subject: Re: debian+networking  
Posted by [douglas](#) on Sat, 12 Nov 2005 20:26:19 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I filed a bug about this. its a bug for vzctl I guess for debian.  
Bug #67

inside /etc/sysconfig/vz-scripts/dists/scripts I believe is where debian-add\_ip.sh is

loopback device needs to be added.

Under VENET\_DEV=venet0 I added LOOPBACK=lo like so

```
LOOPBACK=lo
FAKEGATEWAY=191.255.255.1
FAKEGATEWAYNET=191.255.255.0
CFGFILE=/etc/network/interfaces
HOSTFILE=/etc/hosts
```

Then right under  
# Auto generated loopback venet0 interfaces  
I changed this

```
auto ${VENET_DEV}
to
auto ${VENET_DEV} ${LOOPBACK}
```

A few more lines down

```
iface ${VENET_DEV} inet static
    address 127.0.0.1
    netmask 255.255.255.255
    broadcast 0.0.0.0
    up route add -net ${FAKEGATEWAY} netmask 255.255.255.255 dev ${VENET_DEV}
    up route add default gw ${FAKEGATEWAY}
```

I added after "up route add default gw \${FAKEGATEWAY}"

```
iface ${LOOPBACK} inet loopback
```

Essentially all I did was tell the debian-add\_ip.sh to bring up LO like it should be. This will fix your problem about ping localhost

-doug  
VSFX.com

---