
Subject: ActiveRecord::StatementInvalid in LoginController#sign_in

Posted by [ralphw](#) on Sun, 21 Sep 2008 13:49:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi

danke für Deine Antwort.

EasyVZ habe ich inzwischen wieder gestrichen, da auch bei dem Versuch, die Free Beta licens anzufordern, mein Browser nur eine Fehlermeldung ausgegeben hat. Bin nun bei webVZ gelandet und habe es auch installiert. Mit dieser Anleitung:

for debian Etch users please read this article

<http://www.howtoforge.com/managing-openvz-with-webvz-on-debian-etch>

Ich bekomme beim Login jedoch eine Fehlermeldung und zwar diese:

ActiveRecord::StatementInvalid in LoginController#sign_in

Could not find table 'users'

RAILS_ROOT: /root/webvz.2.0

[Application Trace](#) | [Framework Trace](#) | [Full Trace](#)

```
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/connection_adapters/sqlite3_adapter.rb:29:in `table_structure'
/usr/lib/ruby/gems/1.8/gems/activesupport-2.1.0/lib/active_s
upport/core_ext/object/misc.rb:28:in
`returning'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/connection_adapters/sqlite3_adapter.rb:28:in `table_structure'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/connection_adapters/sqlite_adapter.rb:189:in `columns'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/base.rb:1145:in `columns'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/base.rb:1158:in
`column_names'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/base.rb:1171:in
`column_methods_hash'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/base.rb:1714:in
`all_attributes_exists?'
/usr/lib/ruby/gems/1.8/gems/activesupport-2.1.0/lib/active_s
upport/inflector.rb:283:in `all?'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/base.rb:1714:in `each'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/base.rb:1714:in `all?'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/base.rb:1714:in
`all_attributes_exists?'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/base.rb:1613:in
`method_missing'
app/models/user.rb:13:in `authenticate'
app/controllers/login_controller.rb:16:in `sign_in'
```

```

/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/connection_adapters/sqlite3_adapter.rb:29:in `table_structure'
/usr/lib/ruby/gems/1.8/gems/activesupport-2.1.0/lib/active_s
upport/core_ext/object/misc.rb:28:in
`returning'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/connection_adapters/sqlite3_adapter.rb:28:in `table_structure'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/connection_adapters/sqlite_adapter.rb:189:in `columns'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/base.rb:1145:in `columns'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/base.rb:1158:in
`column_names'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/base.rb:1171:in
`column_methods_hash'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/base.rb:1714:in
`all_attributes_exists?'
/usr/lib/ruby/gems/1.8/gems/activesupport-2.1.0/lib/active_s
upport/inflector.rb:283:in `all?'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/base.rb:1714:in `each'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/base.rb:1714:in `all?'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/base.rb:1714:in
`all_attributes_exists?'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/base.rb:1613:in
`method_missing'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont
roller/base.rb:1162:in `send'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont
roller/base.rb:1162:in
`perform_action_without_filters'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont
roller/filters.rb:580:in `call_filters'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont
roller/filters.rb:573:in
`perform_action_without_benchmark'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont
roller/benchmarking.rb:68:in
`perform_action_without_rescue'
/usr/lib/ruby/1.8/benchmark.rb:293:in `measure'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont
roller/benchmarking.rb:68:in
`perform_action_without_rescue'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont
roller/rescue.rb:201:in
`perform_action_without_caching'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont
roller/caching/sql_cache.rb:13:in
`perform_action'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/connection_adapters/abstract/query_cache.rb:33:in `cache'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/query_cache.rb:8:in `cache'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont
roller/caching/sql_cache.rb:12:in
`perform_action'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont
roller/base.rb:529:in `send'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont
roller/base.rb:529:in
`process_without_filters'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont
roller/filters.rb:569:in
`process_without_session_management_support'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont

```

```

roller/session_management.rb:130:in `process'
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/base.rb:389:in `process'
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/dispatcher.rb:149:in
`handle_request'
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/dispatcher.rb:107:in `dispatch'
/usr/lib/ruby/1.8/thread.rb:135:in `synchronize'
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/dispatcher.rb:104:in `dispatch'
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/dispatcher.rb:120:in
`dispatch CGI'
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/dispatcher.rb:35:in `dispatch'
  /usr/lib/ruby/gems/1.8/gems/rails-2.1.0/lib/webrick_server.r b:112:in `handle_dispatch'
  /usr/lib/ruby/gems/1.8/gems/rails-2.1.0/lib/webrick_server.r b:78:in `service'
/usr/lib/ruby/1.8/webrick/httpserver.rb:104:in `service'
/usr/lib/ruby/1.8/webrick/httpserver.rb:65:in `run'
/usr/lib/ruby/1.8/webrick/server.rb:173:in `start_thread'
/usr/lib/ruby/1.8/webrick/server.rb:162:in `start'
/usr/lib/ruby/1.8/webrick/server.rb:162:in `start_thread'
/usr/lib/ruby/1.8/webrick/server.rb:95:in `start'
/usr/lib/ruby/1.8/webrick/server.rb:92:in `each'
/usr/lib/ruby/1.8/webrick/server.rb:92:in `start'
/usr/lib/ruby/1.8/webrick/server.rb:23:in `start'
/usr/lib/ruby/1.8/webrick/server.rb:82:in `start'
  /usr/lib/ruby/gems/1.8/gems/rails-2.1.0/lib/webrick_server.r b:62:in `dispatch'
  /usr/lib/ruby/gems/1.8/gems/rails-2.1.0/lib/commands/servers /webrick.rb:66
  /usr/local/lib/site_ruby/1.8/rubygems/custom_require.rb:27:i n `gem_original_require'
  /usr/local/lib/site_ruby/1.8/rubygems/custom_require.rb:27:i n `require'
  /usr/lib/ruby/gems/1.8/gems/activesupport-2.1.0/lib/active_s upport/dependencies.rb:509:in
`require'
  /usr/lib/ruby/gems/1.8/gems/activesupport-2.1.0/lib/active_s upport/dependencies.rb:354:in
`new_constants_in'
  /usr/lib/ruby/gems/1.8/gems/activesupport-2.1.0/lib/active_s upport/dependencies.rb:509:in
`require'
  /usr/lib/ruby/gems/1.8/gems/rails-2.1.0/lib/commands/server. rb:39
  /usr/local/lib/site_ruby/1.8/rubygems/custom_require.rb:27:i n `gem_original_require'
  /usr/local/lib/site_ruby/1.8/rubygems/custom_require.rb:27:i n `require'
script/server:3

  /usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/connection_adapters/sqlite3_adapter.rb:29:in `table_structure'
  /usr/lib/ruby/gems/1.8/gems/activesupport-2.1.0/lib/active_s upport/core_ext/object/misc.rb:28:in
`returning'
  /usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/connection_adapters/sqlite3_adapter.rb:28:in `table_structure'
  /usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/connection_adapters/sqlite_adapter.rb:189:in `columns'
  /usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re cord/base.rb:1145:in `columns'
  /usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re cord/base.rb:1158:in
`column_names'

```

```
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re cord/base.rb:1171:in
`column_methods_hash'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re cord/base.rb:1714:in
`all_attributes_exists?'
/usr/lib/ruby/gems/1.8/gems/activesupport-2.1.0/lib/active_s upport/inflector.rb:283:in `all?'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re cord/base.rb:1714:in `each'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re cord/base.rb:1714:in `all?'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re cord/base.rb:1714:in
`all_attributes_exists?'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re cord/base.rb:1613:in
`method_missing'
app/models/user.rb:13:in `authenticate'
app/controllers/login_controller.rb:16:in `sign_in'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/base.rb:1162:in `send'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/base.rb:1162:in
`perform_action_without_filters'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/filters.rb:580:in `call_filters'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/filters.rb:573:in
`perform_action_without_benchmark'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/benchmarking.rb:68:in
`perform_action_without_rescue'
/usr/lib/ruby/1.8/benchmark.rb:293:in `measure'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/benchmarking.rb:68:in
`perform_action_without_rescue'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/rescue.rb:201:in
`perform_action_without_caching'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/caching/sql_cache.rb:13:in
`perform_action'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re cord/connection_adapters/abstract/query_cache.rb:33:in `cache'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re cord/query_cache.rb:8:in `cache'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/caching/sql_cache.rb:12:in
`perform_action'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/base.rb:529:in `send'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/base.rb:529:in
`process_without_filters'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/filters.rb:569:in
`process_without_session_management_support'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/session_management.rb:130:in `process'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/base.rb:389:in `process'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/dispatcher.rb:149:in
`handle_request'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/dispatcher.rb:107:in `dispatch'
/usr/lib/ruby/1.8/thread.rb:135:in `synchronize'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/dispatcher.rb:104:in `dispatch'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/dispatcher.rb:120:in
`dispatch CGI'
```

```
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/dispatcher.rb:35:in `dispatch'  
/usr/lib/ruby/gems/1.8/gems/rails-2.1.0/lib/webrick_server.rb:112:in `handle_dispatch'  
/usr/lib/ruby/gems/1.8/gems/rails-2.1.0/lib/webrick_server.rb:78:in `service'  
/usr/lib/ruby/1.8/webrick/httpserver.rb:104:in `service'  
/usr/lib/ruby/1.8/webrick/httpserver.rb:65:in `run'  
/usr/lib/ruby/1.8/webrick/server.rb:173:in `start_thread'  
/usr/lib/ruby/1.8/webrick/server.rb:162:in `start'  
/usr/lib/ruby/1.8/webrick/server.rb:162:in `start_thread'  
/usr/lib/ruby/1.8/webrick/server.rb:95:in `start'  
/usr/lib/ruby/1.8/webrick/server.rb:92:in `each'  
/usr/lib/ruby/1.8/webrick/server.rb:92:in `start'  
/usr/lib/ruby/1.8/webrick/server.rb:23:in `start'  
/usr/lib/ruby/1.8/webrick/server.rb:82:in `start'  
/usr/lib/ruby/gems/1.8/gems/rails-2.1.0/lib/webrick_server.rb:62:in `dispatch'  
/usr/lib/ruby/gems/1.8/gems/rails-2.1.0/lib/commands/servers/webrick.rb:66  
/usr/local/lib/site_ruby/1.8/rubygems/custom_require.rb:27:in `gem_original_require'  
/usr/local/lib/site_ruby/1.8/rubygems/custom_require.rb:27:in `require'  
/usr/lib/ruby/gems/1.8/gems/activesupport-2.1.0/lib/active_support/dependencies.rb:509:in  
`require'  
/usr/lib/ruby/gems/1.8/gems/activesupport-2.1.0/lib/active_support/dependencies.rb:354:in  
`new_constants_in'  
/usr/lib/ruby/gems/1.8/gems/activesupport-2.1.0/lib/active_support/dependencies.rb:509:in  
`require'  
/usr/lib/ruby/gems/1.8/gems/rails-2.1.0/lib/commands/server.rb:39  
/usr/local/lib/site_ruby/1.8/rubygems/custom_require.rb:27:in `gem_original_require'  
/usr/local/lib/site_ruby/1.8/rubygems/custom_require.rb:27:in `require'  
script/server:3
```

Request

Parameters:

```
{"commit"=>"Sign in",  
"authenticity_token"=>"0c4ac16ef615e9c53671d7a24f20353c7c910785",  
"username"=>"admin",  
"password"=>"admin123"}
```

Show session dump

```
---  
:csrf_id: 15fc6ce8d258e9d5e5027c13301d9ab7  
:permission:  
:user_id:  
flash: !map: ActionController::Flash::FlashHash {}
```

Response

Headers:

```
{"cookie"=>[],  
"Cache-Control"=>"no-cache"}
```

Kannst Du mir eventuell hier weiterhelfen?

Gruß

Ralph
