
Subject: ***SOLVED*** debian and veth
Posted by [rengel](#) on Fri, 17 Oct 2008 16:12:56 GMT
[View Forum Message](#) <> [Reply to Message](#)

```
10:41:27.833497 arp who-has localhost tell test-pdc.test.lan
10:41:28.833124 arp who-has localhost tell test-pdc.test.lan
10:41:29.832791 arp who-has localhost tell test-pdc.test.lan
10:41:39.829461 arp who-has localhost tell test-pdc.test.lan
```

```
test-pdc:/# ping 192.168.0.13
PING 192.168.0.13 (192.168.0.13) 56(84) bytes of data.
```

```
--- 192.168.0.13 ping statistics ---
4 packets transmitted, 0 received, 100% packet loss, time 3008ms
```

```
HN: Debian lenny 5.0
VE: Debian lenny 5.0
vzctl: 3.0.22-11
kernel: linux-image-2.6.24-6-fza-686
```

```
/sbin/ifconfig eth0 0
/sbin/ip addr add 192.168.0.13 dev eth0
/sbin/ip route add default dev eth0
```

```
ifconfig veth12.0 0
echo 1 > /proc/sys/net/ipv4/conf/veth101.0/forwarding
echo 1 > /proc/sys/net/ipv4/conf/veth101.0/proxy_arp
echo 1 > /proc/sys/net/ipv4/conf/eth0/forwarding
echo 1 > /proc/sys/net/ipv4/conf/eth0/proxy_arp
```

```
net.ipv4.conf.default.forwarding = 1
net.ipv4.conf.default.proxy_arp = 0
net.ipv4.ip_forward = 1
net.ipv4.conf.all.rp_filter = 1
kernel.sysrq = 1
net.ipv4.conf.default.send_redirects = 1
net.ipv4.conf.all.send_redirects = 0
```
