
Subject: Re: openSUSE 11 template - please test
Posted by [brushhek](#) on Fri, 06 Mar 2009 21:04:32 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello,

I have tested Your opensuse 11 template. Network dosen't start at boot time, I need to do vzctl enter and then /etc/init.d/network start - then network is up.

```
suse11:/ # ip a l
1: lo: <LOOPBACK> mtu 16436 qdisc noop
   link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
3: venet0: <BROADCAST,POINTOPOINT,NOARP> mtu 1500 qdisc noop
   link/void
suse11:/ #
```

```
suse11:/ # /etc/init.d/network start
Hint: you may set mandatory devices in /etc/sysconfig/network/config
Setting up network interfaces:
  lo
  lo      IP address: 127.0.0.1/8
          IP address: 127.0.0.2/8                done
  venet0
  venet0  IP address: 127.0.0.1/32
  venet0:0 IP address: x.x.x.x/                  done
Setting up service network . . . . . done.
```

```
suse11:/ #
suse11:/ # ip a l
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 16436 qdisc noqueue
   link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
   inet 127.0.0.1/8 brd 127.255.255.255 scope host lo
   inet 127.0.0.2/8 brd 127.255.255.255 scope host secondary lo
   inet6 ::1/128 scope host
       valid_lft forever preferred_lft forever
3: venet0: <BROADCAST,POINTOPOINT,NOARP,UP,LOWER_UP> mtu 1500 qdisc noqueue
   link/void
   inet 127.0.0.1/32 scope host venet0
   inet x.x.x.x/32 scope global venet0:0
```

Also df -h doesn't show any data about / partition inside container (I think it could be suse-related).

```
suse11:/ # df -h
Filesystem      Size Used Avail Use% Mounted on
udev            5.0G  40K  5.0G   1% /dev
```

```
suse11:/ # cat /proc/mounts
/dev/simfs / simfs rw 0 0
proc /proc proc rw 0 0
sysfs /sys sysfs rw 0 0
udev /dev tmpfs rw 0 0
devpts /dev/pts devpts rw 0 0
```

Did You encounter this strange behavior too ?

Kernel: 2.6.18 with rh5 patchset

Regards
brushek
