
Subject: OpenVPN inside OpenVZ container - Socket bind failed on local address
192.168.0.91:1194: Address..

Posted by [lowlow2](#) on Fri, 13 Mar 2009 12:34:32 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello all,

I'm trying to implement OpenVPN inside a OpenVZ container (192.168.0.91) the host's IP is 192.168.0.90

When I (re)start the OpenVPN Server I get the error message that the "Socket bind failed" because "the address is already in use"

The output of openvpn /etc/openvpn/server.conf

```
root@vpnserv:~# openvpn /etc/openvpn/server.conf
Fri Mar 13 14:03:41 2009 OpenVPN 2.1_rc7 i486-pc-linux-gnu [SSL] [LZO2] [EPOLL] built on Jun
11 2008
Fri Mar 13 14:03:41 2009 Diffie-Hellman initialized with 1024 bit key
Fri Mar 13 14:03:41 2009 /usr/bin/openssl-vulnkey -q -b 1024 -m <modulus omitted>
Fri Mar 13 14:03:42 2009 Control Channel Authentication: using '/etc/openvpn/ta.key' as a
OpenVPN static key file
Fri Mar 13 14:03:42 2009 Outgoing Control Channel Authentication: Using 160 bit message hash
'SHA1' for HMAC authentication
Fri Mar 13 14:03:42 2009 Incoming Control Channel Authentication: Using 160 bit message hash
'SHA1' for HMAC authentication
Fri Mar 13 14:03:42 2009 TLS-Auth MTU parms [ L:1574 D:166 EF:66 EB:0 ET:0 EL:0 ]
Fri Mar 13 14:03:42 2009 TCP/UDP: Socket bind failed on local address 192.168.0.91:1194:
Address already in use
Fri Mar 13 14:03:42 2009 Exiting
```

This is my server.conf

```
mode server
tls-server
```

```
local 192.168.0.91 ## ip/hostname of server
port 1194 ## default openvpn port
proto udp
```

```
#bridging directive
dev tap ## If you need multiple tap devices, add them here
#up "/etc/openvpn/up.sh br0"
#down "/etc/openvpn/down.sh br0"
```

```
persist-key
persist-tun
```

```
#certificates and encryption
ca /etc/openvpn/ca.crt
cert /etc/openvpn/server.crt
key /etc/openvpn/server.key # This file should be kept secret
dh /etc/openvpn/easy-rsa/keys/dh1024.pem
tls-auth /etc/openvpn/ta.key 0 # This file is secret

cipher BF-CBC      # Blowfish (default)
comp-lzo

#DHCP Information
ifconfig-pool-persist ipp.txt
server 10.8.0.0 255.255.255.0
#server-bridge 192.168.0.90 255.255.255.0 192.168.0.100 192.168.0.110
push "dhcp-option DNS 192.168.0.1"
push "dhcp-option DOMAIN impactweb.imm.be"
max-clients 10 ## set this to the max number of clients that should be connected at a time
```

I'm not really sure about the server-bridge option and the local (IP) option, on the top of my server.conf ?

Are there may-be specific things necessary for the good working of VPN inside a OpenVZ container that I may have overcome?
(I'm new to OpenVZ & virtualization)

Thanks in advance!
