
Subject: Conntrack ftp

Posted by [xido](#) on Tue, 17 Mar 2009 18:00:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

~# lsmod

Module	Size	Used by
ipt_REJECT	13952	1
ipt_owner	10880	3
kvm_intel	57960	0
kvm	191752	1 kvm_intel
vzethdev	23808	0
vznetdev	32776	10
simfs	14320	5
vzrst	155688	0
vzcpt	129976	0
tun	23168	2 vzrst,vzcpt
vzdquota	58864	5 [permanent]
vzmon	58520	9 vzethdev,vznetdev,vzrst,vzcpt
vzdev	13064	6 vzethdev,vznetdev,vzdquota,vzmon
ipt_REDIRECT	11008	0
nf_nat_irc	11648	0
nf_conntrack_irc	16544	1 nf_nat_irc
nf_nat_ftp	12544	0
iptable_nat	19716	2
nf_nat	31376	4 ipt_REDIRECT,nf_nat_irc,nf_nat_ftp,iptable_nat
xt_helper	11648	0
xt_state	11392	26
nf_conntrack_ftp	19240	1 nf_nat_ftp
nf_conntrack_ipv4	36880	30 iptable_nat
nf_conntrack	101600	9
nf_nat_irc,nf_conntrack_irc,nf_nat_ftp,iptable_nat,nf_nat,xt_helper,xt_state,nf_conntrack_ftp,nf_c onntrack_ipv4		
xt_length	10752	0
ipt_LOG	15872	0
ipt_ttl	10752	0
xt_tcpmss	11264	0
ipt_TOS	11136	0
ipt_tos	10496	0
xt_multiport	12288	12
xt_limit	12032	0
iptable_mangle	13824	5
iptable_filter	13696	7

```

ip_tables      33256 3 iptable_nat,iptable_mangle,iptable_filter
ipv6           342016 81 vzrst,vzcpt,vzmon
bridge         73128 0
raid1          34944 1
md_mod         96924 2 raid1
dm_snapshot    28256 0
dm_mirror      34432 0
xt_tcpudp      12288 37
x_tables       33672 16
ipt_REJECT,ipt_owner,ipt_REDIRECT,iptable_nat,xt_helper,xt_state,xt_length,ipt_LOG,ipt_ttl,xt_t
cpmss,ipt_TOS,ipt_tos,xt_multiport,xt_limit,ip_tables,xt_tcpudp
eeprom         17296 0
lm85           43684 0
hwmon_vid      12416 1 lm85
thermal        27168 0
e1000          176068 0
psmouse        53788 0
button         18336 0
ipmi_msghandler 51704 0
processor      49768 1 thermal
e1000e         139948 0
serio_raw      16516 0
evdev          22912 0
pcspkr         12288 0
sg             49432 0
floppy         76904 0
scsi_wait_scan 10112 0
dm_mod         79736 9 dm_snapshot,dm_mirror
usbhid         43616 0
hid            52544 1 usbhid
usb_storage    90304 0
libusual       31072 1 usb_storage
sd_mod         40448 7
sr_mod         27684 0
ide_disk       26496 0
ide_generic    9856 0 [permanent]
ide_cd         43040 0
cdrom          48936 2 sr_mod,ide_cd
ide_core       144152 3 ide_disk,ide_generic,ide_cd
uhci_hcd       37408 0
ehci_hcd       48908 0
usbcore        178608 6 usbhid,usb_storage,libusual,uhci_hcd,ehci_hcd
iTCO_wdt       22992 0
iTCO_vendor_support 13188 1 iTCO_wdt
ata_piix       31492 4
pata_acpi      17152 0
ata_generic    17412 0
libata         184496 3 ata_piix,pata_acpi,ata_generic

```

```

scsi_mod      187192 6 sg,scsi_wait_scan,usb_storage,sd_mod,sr_mod,libata
i2c_i801      19740 0
i2c_core      36352 3 eeprom,lm85,i2c_i801
shpchp        45596 0
pci_hotplug    43312 1 shpchp
isofs          47144 0
msdos          19712 0
fat            67760 1 msdos

```

```
:~# cat /etc/vz/vz.conf |grep IPTABLES
```

```

IPTABLES="iptables_filter iptable_mangle ipt_limit ipt_multiport ipt_tos ipt_TOS ipt_REJECT
iptables_tcpmss ipt_tcpmss ipt_ttl ipt_LOG ipt_length ip_conntrack ip_conntrack_ftp ip_conntrack_irc
ip_conntrack ipt_state ipt_helper iptable_nat ip_nat_ftp ip_nat_irc ipt_REDIRECT ipt_owner"

```

```

ve3 [/]# iptables -L
Chain INPUT (policy DROP)
target    prot opt source                destination
DROP      icmp -- anywhere             anywhere             state INVALID
ACCEPT    all  -- anywhere             anywhere             state RELATED,ESTABLISHED
ACCEPT    tcp  -- anywhere             anywhere             state NEW multiport dports
ftp-data,ftp,smtp,http,pop3,imap,https,smtps,imaps,pop3s
ACCEPT    tcp  -- anywhere             anywhere             state NEW multiport dports
trellisagt,trellisvr,infowave,radsec,nbx-ser,nbx-dir
ACCEPT    icmp -- anywhere             anywhere             icmp ttl-zero-during-reassembly state
NEW
ACCEPT    icmp -- anywhere             anywhere             icmp ttl-zero-during-transit state NEW
ACCEPT    icmp -- anywhere             anywhere             icmp type 0 code 0 state NEW
ACCEPT    icmp -- anywhere             anywhere             icmp type 8 code 0 state NEW
ACCEPT    icmp -- anywhere             anywhere             icmp destination-unreachable state NEW

Chain FORWARD (policy DROP)
target    prot opt source                destination

Chain OUTPUT (policy DROP)
target    prot opt source                destination

```

ACCEPT	all -- anywhere	anywhere	
DROP	icmp -- anywhere	anywhere	state INVALID
ACCEPT	all -- anywhere	anywhere	state RELATED,ESTABLISHED
ACCEPT	udp -- anywhere	anywhere	state NEW multiport dports ntp
ACCEPT	udp -- anywhere	anywhere	state NEW multiport dports domain
ACCEPT	tcp -- anywhere	anywhere	state NEW multiport dports
nicname,http,https,submission,rsync			
ACCEPT	tcp -- anywhere	anywhere	state NEW multiport dports ftp,ssh,eli,sep
OWNER UID match root			