
Subject: Re: CENTOS 5.2 PAE SMP sysctl
Posted by [valmon](#) on Wed, 15 Apr 2009 10:02:03 GMT
[View Forum Message](#) <> [Reply to Message](#)

```
[root@host-46-129 etc]# iptables -t nat -L && iptables -t filter -L && iptables -t mangle -L
```

```
Chain PREROUTING (policy ACCEPT)
```

```
target prot opt source destination
```

```
Chain POSTROUTING (policy ACCEPT)
```

```
target prot opt source destination
```

```
Chain OUTPUT (policy ACCEPT)
```

```
target prot opt source destination
```

```
Chain INPUT (policy ACCEPT)
```

```
target prot opt source destination
```

```
RH-Firewall-1-INPUT all -- anywhere anywhere
```

```
Chain FORWARD (policy ACCEPT)
```

```
target prot opt source destination
```

```
RH-Firewall-1-INPUT all -- anywhere anywhere
```

```
Chain OUTPUT (policy ACCEPT)
```

```
target prot opt source destination
```

```
Chain RH-Firewall-1-INPUT (2 references)
```

```
target prot opt source destination
```

```
ACCEPT all -- anywhere anywhere
```

```
ACCEPT icmp -- anywhere anywhere icmp any
```

```
ACCEPT esp -- anywhere anywhere
```

```
ACCEPT ah -- anywhere anywhere
```

```
ACCEPT udp -- anywhere 224.0.0.251 udp dpt:mdns
```

```
ACCEPT udp -- anywhere anywhere udp dpt:ipp
```

```
ACCEPT tcp -- anywhere anywhere tcp dpt:ipp
```

```
ACCEPT all -- anywhere anywhere state RELATED,ESTABLISHED
```

```
ACCEPT tcp -- anywhere anywhere state NEW tcp dpt:ssh
```

```
ACCEPT tcp -- anywhere anywhere state NEW tcp dpt:smtp
```

```
REJECT all -- anywhere anywhere reject-with icmp-host-prohibited
```

```
Chain PREROUTING (policy ACCEPT)
```

```
target prot opt source destination
```

```
Chain INPUT (policy ACCEPT)
```

```
target prot opt source destination
```

```
Chain FORWARD (policy ACCEPT)
```

```
target prot opt source destination
```

```
Chain OUTPUT (policy ACCEPT)
```

```
target prot opt source destination
```

```
Chain POSTROUTING (policy ACCEPT)
```

```
target prot opt source destination
```

```
[root@host-46-129 etc]#
```

```
[root@host-46-130 /]# iptables -t nat -L && iptables -t filter -L && iptables -t mangle -L
iptables v1.3.5: can't initialize iptables table `nat': Table does not exist (do you need to insmod?)
Perhaps iptables or your kernel needs to be upgraded.
[root@host-46-130 /]#
```

```
[root@host-46-129 vz]# vzctl set 46130 --nameserver 4.2.2.1 --save
```

```
File resolv.conf was modified
```

```
Saved parameters for CT 46130
```

```
[root@host-46-129 vz]# vzctl stop 46130
```

```
Stopping container ...
```

```
Container was stopped
```

```
Container is unmounted
```

```
[root@host-46-129 vz]# vzctl start 46130
```

```
Starting container ...
```

```
Container is mounted
```

```
Adding IP address(es): 213.248.46.130
```

```
Setting CPU units: 1000
```

```
Configure meminfo: 65536
```

```
Set hostname: host-46-130.ru-point.com
```

```
File resolv.conf was modified
```

```
Container start in progress...
```

```
[root@host-46-129 vz]# vzctl enter 46130
```

```
entered into CT 46130
```

```
[root@host-46-130 /]# ping mail.ru
```

```
ping: unknown host mail.ru
```

```
[root@host-46-130 /]# cat /etc/resolv.conf
```

```
nameserver 4.2.2.1
```

```
[root@host-46-130 /]#
```