

---

Subject: Re: How venetxx are created?

Posted by [Vasily Tarasov](#) on Fri, 23 Jun 2006 10:03:51 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

It's a known problem. Please, read

<http://forum.openvz.org/index.php?t=tree&th=697&mid=3666&&rev=&reveal=>  
to fix it.

Rachid Abdoun wrote:

```
> ok thank you i understand... i disable it because i'd like to use
> vethX instead... but i have a compilation problem on debian :
>
> phoenix:/usr/src/vzctl-3.0.10# make install
> for file in src; do \
>     (cd $file && make -f Makefile install) \
> done
> make[1]: Entering directory `/usr/src/vzctl-3.0.10/src'
> Makefile:221: .depend: Aucun fichier ou repertoire de ce type
> gcc -M -I ../include vzctl.c vzctl-actions.c modules.c enter.c
> vzlist.c arpsend.c vzsplitt.c vzmemcheck.c validate.c vzcfgvalidate.c
> vzcalc.c lib/env.c lib/ub.c lib/net.c lib/logger.c lib/exec.c lib/
> cap.c lib/cpu.c lib/res.c lib/util.c lib/dist.c lib/list.c lib/
> script.c lib/dev.c lib/config.c lib/lock.c lib/quota.c lib/modules.c
> lib/iptables.c lib/fs.c lib/create.c lib/readelf.c lib/cpt.c lib/
> destroy.c lib/vps_configure.c lib/meminfo.c lib/veth.c lib/fs_simfs.c
> >.depend
> make[1]: Leaving directory `/usr/src/vzctl-3.0.10/src'
> make[1]: Entering directory `/usr/src/vzctl-3.0.10/src'
> gcc -c -Wall -g2 -fPIC -I ../include lib/fs_simfs.c -o lib/fs_simfs.lo
> gcc -Wall -g2 -I ../include lib/fs_simfs.lo -shared -o libvzctl-
> simfs.so.0.0.2
> gcc -c -Wall -g2 -fPIC -I ../include lib/env.c -o lib/env.lo
> gcc -c -Wall -g2 -fPIC -I ../include lib/ub.c -o lib/ub.lo
> gcc -c -Wall -g2 -fPIC -I ../include lib/net.c -o lib/net.lo
> gcc -c -Wall -g2 -fPIC -I ../include lib/logger.c -o lib/logger.lo
> gcc -c -Wall -g2 -fPIC -I ../include lib/exec.c -o lib/exec.lo
> gcc -c -Wall -g2 -fPIC -I ../include lib/cap.c -o lib/cap.lo
> gcc -c -Wall -g2 -fPIC -I ../include lib/cpu.c -o lib/cpu.lo
> gcc -c -Wall -g2 -fPIC -I ../include lib/res.c -o lib/res.lo
> gcc -c -Wall -g2 -fPIC -I ../include lib/util.c -o lib/util.lo
> gcc -c -Wall -g2 -fPIC -I ../include lib/dist.c -o lib/dist.lo
> gcc -c -Wall -g2 -fPIC -I ../include lib/list.c -o lib/list.lo
> gcc -c -Wall -g2 -fPIC -I ../include lib/script.c -o lib/script.lo
> gcc -c -Wall -g2 -fPIC -I ../include lib/dev.c -o lib/dev.lo
> gcc -c -Wall -g2 -fPIC -I ../include lib/config.c -o lib/config.lo
> gcc -c -Wall -g2 -fPIC -I ../include lib/lock.c -o lib/lock.lo
> gcc -c -Wall -g2 -fPIC -I ../include lib/quota.c -o lib/quota.lo
```

```

> gcc -c -Wall -g2 -fPIC -I ../include lib/modules.c -o lib/modules.lo
> lib/modules.c: Dans la fonction ? mod_make_opt ? :
> lib/modules.c:93: attention : passage de l'argument n?2 au pointeur
> de fonction annule des qualificateurs du type du pointeur cible
> gcc -c -Wall -g2 -fPIC -I ../include lib/iptables.c -o lib/iptables.lo
> gcc -c -Wall -g2 -fPIC -I ../include lib/fs.c -o lib/fs.lo
> gcc -c -Wall -g2 -fPIC -I ../include lib/create.c -o lib/create.lo
> gcc -c -Wall -g2 -fPIC -I ../include lib/readelf.c -o lib/readelf.lo
> gcc -c -Wall -g2 -fPIC -I ../include lib/cpt.c -o lib/cpt.lo
> gcc -c -Wall -g2 -fPIC -I ../include lib/destroy.c -o lib/destroy.lo
> gcc -c -Wall -g2 -fPIC -I ../include lib/vps_configure.c -o lib/
> vps_configure.lo
> gcc -c -Wall -g2 -fPIC -I ../include lib/meminfo.c -o lib/meminfo.lo
> gcc -c -Wall -g2 -fPIC -I ../include lib/veth.c -o lib/veth.lo
> gcc -Wall -g2 -I ../include lib/env.lo lib/ub.lo lib/net.lo lib/
> logger.lo lib/exec.lo lib/cap.lo lib/cpu.lo lib/res.lo lib/util.lo
> lib/dist.lo lib/list.lo lib/script.lo lib/dev.lo lib/config.lo lib/
> lock.lo lib/quota.lo lib/modules.lo lib/iptables.lo lib/fs.lo lib/
> create.lo lib/readelf.lo lib/cpt.lo lib/destroy.lo lib/
> vps_configure.lo lib/meminfo.lo lib/veth.lo -L. -Wl,-rpath=/usr/lib/
> vzctl/lib -ldl -shared -o libvzctl.so.0.0.2
> gcc -c -Wall -g2 -I ../include vzctl.c -o vzctl.o
> gcc -c -Wall -g2 -I ../include vzctl-actions.c -o vzctl-actions.o
> gcc -c -Wall -g2 -I ../include modules.c -o modules.o
> modules.c: Dans la fonction ? add_module ? :
> modules.c:106: attention : implicit declaration of function
> `is_mod_action'
> gcc -c -Wall -g2 -I ../include enter.c -o enter.o
> ln -sf libvzctl-simfs.so.0.0.2 libvzctl-fs.so
> gcc -Wall -g2 -I ../include vzctl.o vzctl-actions.o modules.o
> enter.o -L. -Wl,-rpath=/usr/lib/vzctl/lib -ldl libvzctl.so.0.0.2
> libvzctl-fs.so -lutil -o vzctl
> gcc -c -Wall -g2 -I ../include vzlist.c -o vzlist.o
> gcc -Wall -g2 -I ../include vzlist.o -L. -Wl,-rpath=/usr/lib/vzctl/
> lib -ldl libvzctl-fs.so libvzctl.so.0.0.2 -o vzlist
> gcc -c -Wall -g2 -I ../include arpsend.c -o arpsend.o
> gcc -Wall -g2 -I ../include arpsend.o -o arpsend
> gcc -c -Wall -g2 -I ../include vzsplitt.c -o vzsplitt.o
> gcc -Wall -g2 -I ../include vzsplitt.o -o vzsplitt
> gcc -c -Wall -g2 -I ../include vzcfgvalidate.c -o vzcfgvalidate.o
> vzcfgvalidate.c: Dans la fonction ? main ? :
> vzcfgvalidate.c:73: attention : implicit declaration of function
> `validate'
> gcc -c -Wall -g2 -I ../include validate.c -o validate.o
> gcc -Wall -g2 -I ../include vzcfgvalidate.o validate.o libvzctl.so.
> 0.0.2 libvzctl-fs.so -L. -Wl,-rpath=/usr/lib/vzctl/lib -ldl libvzctl-
> fs.so libvzctl.so.0.0.2 -o vzcfgvalidate
> gcc -c -Wall -g2 -I ../include vzmemcheck.c -o vzmemcheck.o

```

```

> gcc -Wall -g2 -I ../include -L. -Wl,-rpath=/usr/lib/vzctl/lib -ldl
> libvzctl-fs.so libvzctl.so.0.0.2 vzmemcheck.o validate.o libvzctl.so.
> 0.0.2 libvzctl-fs.so -o vzmemcheck
> gcc -c -Wall -g2 -I ../include vzcalc.c -o vzcalc.o
> gcc -Wall -g2 -I ../include vzcalc.o libvzctl.so.0.0.2 libvzctl-
> fs.so -L. -Wl,-rpath=/usr/lib/vzctl/lib -ldl libvzctl-fs.so
> libvzctl.so.0.0.2 -o vzcalc
> install -d /etc/vz
> install -d /usr/sbin
> install -d /etc/vz/conf
> install -d /usr/lib/vzctl/scripts/
> install -d /usr/share/vzctl/scripts
> install -d /etc/cron.d
> install -d /etc/init.d
> install -d /vz/lock
> install -d /vz/dump
> install -d /etc/logrotate.d
> install -d /vz/template/cache
> install -d /var/lib/vzctl/veip
> install -d
> install: Trop peu de arguments.
> Pour en savoir davantage, faites: ? install --help ?.
> make[1]: *** [inst-dirs] Erreur 1
> make[1]: Leaving directory `/usr/src/vzctl-3.0.10/src'
> make: *** [install] Erreur 2
> phoenix:/usr/src/vzctl-3.0.10#
>
> What's happened? Could you help me on compilation?
>
> Thank you
>
> rachid
>
>
>> venet is the default network device. it's not bridge and vlan, it is
>> more like a ppp connection between VPS and host system. It does
>> packet switching based on IP header.
>>
>> venet is created automatically on VPS start. vzctl scripts setup
>> appropriate IP and settings on venet inside VPS. if you set
>> VPSIP.conf variable OSTEMPLATE=debian-3.1 it will automatically work
>> correct with you debian VPS.
>>
>> To add/del IP address use
>> # vzctl set <VPSID> --ipadd|ipdel <IP>
>> command.
>>

```

>> We will provide wiki soon :)  
>>  
>> Thanks,  
>> Kirill  
>>  
>>> OpenVZ is a nice project! And i'm happy to join this community!!  
>>> I found documentation here : <http://wiki.openvz.org/>  
>>> Virtual\_Ethernet\_device but i haven't found any information on  
>>> theses questions :  
>>> - what is a venet? (bridge? vlan?) And  
>>> - how is it created?  
>>> Could someone explain me how does it work?  
>>> P.S : I'm running a debian sarge 3.1 on pentium M 1.7Ghz with 512MB  
>>> Thank you  
>>> - Rachid

---