
Subject: Re: linux vserver to openvz migration
Posted by [ertan](#) on Wed, 25 Aug 2010 13:22:53 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,

i have "migrated" a Debian-Linux-Vserver under

2.6.18-4-vserver-amd64

vhost1:/etc/vservers# vserver-info

Versions:

Kernel: 2.6.18-4-vserver-amd64

VS-API: 0x00020002

util-vserver: 0.30.212; Dec 9 2006, 20:37:54

Features:

CC: gcc, gcc (GCC) 4.1.2 20061115 (prerelease) (Debian 4.1.1-20)

CXX: g++, g++ (GCC) 4.1.2 20061115 (prerelease) (Debian 4.1.1-20)

CPPFLAGS: "

CFLAGS: '-Wall -g -O2 -std=c99 -Wall -pedantic -W -funit-at-a-time'

CXXFLAGS: '-g -O2 -ansi -Wall -pedantic -W -fmessage-length=0 -funit-at-a-time'

build/host: x86_64-pc-linux-gnu/x86_64-pc-linux-gnu

Use dietlibc: yes

Build C++ programs: yes

Build C99 programs: yes

Available APIs: compat,v11,fscompat,v13,net,v21,oldproc,olduts

ext2fs Source: e2fsprogs

syscall(2) invocation: alternative

vserver(2) syscall#: 236/glibc

Paths:

prefix: /usr

sysconf-Directory: /etc

cfg-Directory: /etc/vservers

initrd-Directory: \$(sysconfdir)/init.d

pkgstate-Directory: /var/run/vservers

vserver-Rootdir: /var/lib[QUOTE]/[/QUOTE]/vservers

The only think what i do is to copy the /var/lib/vservers/VSERVERNAME Directory to the openvz Server under /vz/private/103 with rsync.

Then i set the hostname and ip:

vzctl set 103 --onboot yes --save

vzctl set 103 --ipadd 192.168.0.145 --save

vzctl set 103 --hostname test103.my.org --save

```
echo "OSTEMPLATE=\"debian\"" >> 103.conf
```

The openvz has the Kernel:
2.6.18-194.8.1.el5.028stab070.2
and the OS is CentOS5.5

The Container 103 (Debian) Starts

Then i have done
update-rc.d networking defaults
because the network config is not correct.

The network doesnt works. The ip from the config file is not visible and there are no mac
adresses.

Quote:
ifconfig -a

```
lo      Link encap:Local Loopback
        LOOPBACK MTU:16436 Metric:1
        RX packets:0 errors:0 dropped:0 overruns:0 frame:0
        TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
        collisions:0 txqueuelen:0
        RX bytes:0 (0.0 b) TX bytes:0 (0.0 b)

venet0  Link encap:UNSPEC HWaddr 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00
        BROADCAST POINTOPOINT NOARP MTU:1500 Metric:1
        RX packets:0 errors:0 dropped:0 overruns:0 frame:0
        TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
        collisions:0 txqueuelen:0
        RX bytes:0 (0.0 b) TX bytes:0 (0.0 b)
```

Where i can edit the settings for the network. Normaly the config file for the Linux Vserver is in
/etc/vservers/VSERVERNAME/interfaces/0

there are three Files with the information dev ip prefix.
This files i have not copied to the /vz/private/ directory.

A manual setting with ifconfig venet0 192.168.0.145 works but the mac address is still not present
and i can not add a route and gateway.
