Subject: Re: [patch 2/6] [Network namespace] Network device sharing by view Posted by ebiederm on Tue, 27 Jun 2006 16:29:39 GMT

View Forum Message <> Reply to Message

Herbert Poetzl herbert@13thfloor.at writes:

> On Tue, Jun 27, 2006 at 01:54:51PM +0400, Kirill Korotaev wrote: >> >>My point is that if you make namespace tagging at routing time, and >> >>your packets are being routed only once, you lose the ability >> >>to have separate routing tables in each namespace. >> > >> > >> > Right. What is the advantage of having separate the routing tables? >> it is impossible to have bridged networking, tun/tap and many other >> features without it. I even doubt that it is possible to introduce >> private netfilter rules w/o virtualization of routing. > why? iptables work quite fine on a typical linux > system when you 'delegate' certain functionality > to certain chains (i.e. doesn't require access to > all of them) >> The question is do we want to have fully featured namespaces which >> allow to create isolated virtual environments with semantics and >> behaviour of standalone linux box or do we want to introduce some >> hacks with new rules/restrictions to meet ones goals only? > well, soemtimes 'hacks' are not only simpler but also > a much better solution for a given problem than the > straight forward approach ...

Well I would like to see a hack that qualifies. I watched the linux-vserver irc channel for a while and almost every network problem was caused by the change in semantics vserver provides.

In this case when you allow a guest more than one IP your hack while easy to maintain becomes much more complex. Especially as you address each case people care about one at a time.

In one shot this goes the entire way. Given how many people miss that you do the work at layer 2 than at layer 3 I would not call this the straight forward approach. The straight forward implementation yes, but not the straight forward approach.

- > for example, you won't have multiple routing tables
- > in a kernel where this feature is disabled, no?
- > so why should it affect a guest, or require modified

- > apps inside a guest when we would decide to provide
- > only a single routing table?

>

>> From my POV, fully virtualized namespaces are the future.

>

> the future is already there, it's called Xen or UML, or QEMU :)

Yep. And now we need it to run fast.

- >> It is what makes virtualization solution usable (w/o apps
- >> modifications), provides all the features and doesn't require much
- >> efforts from people to be used.

>

- > and what if they want to use virtualization inside
- > their guests? where do you draw the line?

The implementation doesn't have any problems with guests inside of guests.

The only reason to restrict guests inside of guests is because the we aren't certain which permissions make sense.

Eric