
Posted by [maratrus](#) on Thu, 23 Sep 2010 12:13:46 GMT

[View Forum Message](#) <> [Reply to Message](#)

HN:

```
# uname -a
```

```
Linux test_host 2.6.18-194.8.1.el5.028stab070.2 #1 SMP Tue Jul 6 15:26:41 MSD 2010 i686 i686  
i386 GNU/Linux
```

```
# iptables -A FORWARD -p tcp --syn --dport smtp -m connlimit --connlimit-above 1 -j DROP
```

```
# iptables -L
```

```
Chain INPUT (policy ACCEPT)
```

```
target    prot opt source                destination
```

```
Chain FORWARD (policy ACCEPT)
```

```
target    prot opt source                destination
```

```
DROP      tcp  --  anywhere              anywhere           tcp dpt:smtp flags:FIN,SYN,RST,ACK/SYN
```

```
#conn/32 > 1
```

```
Chain OUTPUT (policy ACCEPT)
```

```
target    prot opt source                destination
```

```
# lsmod |grep limit
```

```
xt_connlimit      8072  1
```

```
ip_conntrack      60612  4 xt_connlimit,vzrst,ip_nat,vzcpt
```

```
xt_limit          6656  0
```

```
x_tables          19204  11
```

```
xt_connlimit,xt_tcpudp,xt_length,ipt_ttl,xt_tcpmss,ipt_TCPMSS,xt_multiport,xt_limit,ipt_tos,ipt_REJECT,ip_tables
```

```
# vzctl restart 103
```

```
<skipped>
```

```
# vzctl enter 103
```

```
# iptables -A FORWARD -p tcp --syn --dport smtp -m connlimit --connlimit-above 1 -j DROP
```

```
# # iptables -L
```

```
Chain INPUT (policy ACCEPT)
```

```
target    prot opt source                destination
```

```
Chain FORWARD (policy ACCEPT)
```

```
target    prot opt source                destination
```

```
DROP      tcp  --  anywhere              anywhere           tcp dpt:smtp flags:FIN,SYN,RST,ACK/SYN
```

```
#conn/32 > 1
```

```
Chain OUTPUT (policy ACCEPT)
```

```
target    prot opt source                destination
```
