
2.6.18-194.26.1.el5.028stab070.12

Posted by [zvv2](#) on Wed, 17 Nov 2010 12:32:46 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
[root@t2 ~]# ip ro sh
```

```
192.168.101.106 dev venet0 scope link src 192.168.101.2
192.168.101.105 dev venet0 scope link src 192.168.101.2
192.168.101.12 dev eth0 scope link
192.168.101.103 dev venet0 scope link src 192.168.101.2
192.168.101.102 dev venet0 scope link src 192.168.101.2
192.168.101.101 dev venet0 scope link src 192.168.101.2
192.168.101.0/24 dev eth1 proto kernel scope link src 192.168.101.2
169.254.0.0/16 dev eth1 scope link
default via 192.168.101.11 dev eth1
```

```
[root@t2 ~]# netstat -rn
```

Kernel IP routing table

Destination	Gateway	Genmask	Flags	MSS	Window	irtt	Iface
192.168.101.106	0.0.0.0	255.255.255.255	UH	0 0		0	venet0
192.168.101.105	0.0.0.0	255.255.255.255	UH	0 0		0	venet0
192.168.101.12	0.0.0.0	255.255.255.255	UH	0 0		0	eth0
192.168.101.103	0.0.0.0	255.255.255.255	UH	0 0		0	venet0
192.168.101.102	0.0.0.0	255.255.255.255	UH	0 0		0	venet0
192.168.101.101	0.0.0.0	255.255.255.255	UH	0 0		0	venet0
192.168.101.0	0.0.0.0	255.255.255.0	U	0 0		0	eth1
169.254.0.0	0.0.0.0	255.255.0.0	U	0 0		0	eth1
0.0.0.0	192.168.101.11	0.0.0.0	UG	0 0		0	eth1

```
[root@t2 ~]# cat /proc/net/arp
```

IP address	HW type	Flags	HW address	Mask	Device
192.168.101.11	0x1	0x2	00:22:15:27:39:36	*	eth1

```
[root@t2 ~]# vzctl enter 106
```

```
entered into CT 106
```

```
[root@ns1 /]# host openvz.org
;; connection timed out; no servers could be reached
```

```
[root@t2 ~]# ip ro sh
192.168.101.106 dev venet0 scope link src 192.168.101.2
192.168.101.105 dev venet0 scope link src 192.168.101.2
192.168.101.12 dev eth0 scope link
192.168.101.103 dev venet0 scope link src 192.168.101.2
192.168.101.102 dev venet0 scope link src 192.168.101.2
192.168.101.101 dev venet0 scope link src 192.168.101.2
192.168.101.0/24 dev eth1 proto kernel scope link src 192.168.101.2
169.254.0.0/16 dev eth1 scope link
default via 192.168.101.11 dev eth1
```

```
[root@t2 ~]# netstat -rn
Kernel IP routing table
Destination Gateway Genmask Flags MSS Window irtt Iface
192.168.101.106 0.0.0.0 255.255.255.255 UH 0 0 0 venet0
192.168.101.105 0.0.0.0 255.255.255.255 UH 0 0 0 venet0
192.168.101.12 0.0.0.0 255.255.255.255 UH 0 0 0 eth0
192.168.101.103 0.0.0.0 255.255.255.255 UH 0 0 0 venet0
192.168.101.102 0.0.0.0 255.255.255.255 UH 0 0 0 venet0
192.168.101.101 0.0.0.0 255.255.255.255 UH 0 0 0 venet0
192.168.101.0 0.0.0.0 255.255.255.0 U 0 0 0 eth1
169.254.0.0 0.0.0.0 255.255.0.0 U 0 0 0 eth1
0.0.0.0 192.168.101.11 0.0.0.0 UG 0 0 0 eth1
```

```
[root@t2 ~]# cat /proc/net/arp
IP address HW type Flags HW address Mask Device
192.168.101.11 0x1 0x2 00:22:15:27:39:36 * eth1
192.168.101.106 0x1 0xc 00:00:00:00:00:00 * eth1
192.168.101.105 0x1 0xc 00:00:00:00:00:00 * eth1
192.168.101.103 0x1 0xc 00:00:00:00:00:00 * eth1
192.168.101.102 0x1 0xc 00:00:00:00:00:00 * eth1
192.168.101.101 0x1 0xc 00:00:00:00:00:00 * eth1
```

```
# vzctl enter 106
entered into CT 106
[root@ns1 /]# host openvz.org
openvz.org has address 64.131.90.7
openvz.org mail is handled by 10 mx1.parallels.com.
```

openvz.org mail is handled by 20 mx2.parallels.com.