
Subject: Re: Ubuntu VE duplicate mounts /var/run /var/lock

Posted by [TheStig](#) on Fri, 07 Jan 2011 12:34:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

that's quite funny - i never ever use nfs

i think, at least on my hardware the issue located somewhere here:

on HN

```
joseph@av-3:~$ ls -al /vz/private/104/etc/mtab
lrwxrwxrwx 1 root root 12 2011-01-04 14:32 /vz/private/104/etc/mtab -> /proc/mounts
joseph@av-3:~$ ls -al /vz/private/103/etc/mtab
lrwxrwxrwx 1 root root 12 2010-01-25 12:51 /vz/private/103/etc/mtab -> /proc/mounts
joseph@av-3:~$ cat /proc/mounts |grep "lock|run"
tmpfs /var/lib/vz/root/101/var/run tmpfs rw,nosuid,nodev,noexec,mode=755 0 0
tmpfs /var/lib/vz/root/101/var/lock tmpfs rw,nosuid,nodev,noexec 0 0
tmpfs /var/lib/vz/root/101/var/run tmpfs rw,nosuid,nodev,noexec,mode=755 0 0
tmpfs /var/lib/vz/root/101/var/lock tmpfs rw,nosuid,nodev,noexec 0 0
tmpfs /var/lib/vz/root/102/var/run tmpfs rw,nosuid,nodev,noexec,mode=755 0 0
tmpfs /var/lib/vz/root/102/var/lock tmpfs rw,nosuid,nodev,noexec 0 0
tmpfs /var/lib/vz/root/102/var/run tmpfs rw,nosuid,nodev,noexec,mode=755 0 0
tmpfs /var/lib/vz/root/102/var/lock tmpfs rw,nosuid,nodev,noexec 0 0
tmpfs /var/lib/vz/root/103/var/run tmpfs rw,nosuid,nodev,noexec,mode=755 0 0
tmpfs /var/lib/vz/root/103/var/lock tmpfs rw,nosuid,nodev,noexec 0 0
tmpfs /var/lib/vz/root/103/var/run tmpfs rw,nosuid,nodev,noexec,mode=755 0 0
tmpfs /var/lib/vz/root/103/var/lock tmpfs rw,nosuid,nodev,noexec 0 0
joseph@av-3:~$ uname -a
Linux av-3.VWX.YZ 2.6.26-2-openssl-amd64 #1 SMP Thu Nov 5 03:06:00 UTC 2009 x86_64
GNU/Linux
```

101 - 103 are Ubuntu 8.04 templates created via debootstrap, 104 is running a RHEL4-VPS that i created out of a former physical machine - thats why i guess, that at least in my case, it has something to do with ubuntu/debian-specific init.d's or OSTEMPLATE-scripts.

But as I believe the issue to be of an entirely cosmetic nature, I never bothered to try and fix it.
