
Subject: [PATCH, v5 0/2] Timer slack cgroup subsystem
Posted by [Kirill A. Shutemov](#) on Mon, 07 Feb 2011 09:46:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

From: Kirill A. Shutemov <kirill@shutemov.name>

Changelog:

v5:

- -EBUSY on writing to timer_slack.min_slack_ns/max_slack_ns if a child has wider min-max range

v4:

- hierarchy support
- drop dummy_timer_slack_check()
- workaround lockdep false (?) positive
- allow 0 as timer slack value

v3:

- rework interface
- s/EXPORT_SYMBOL/EXPORT_SYMBOL_GPL/

v2:

- fixed with CONFIG_CGROUP_TIMER_SLACK=y

v1:

- initial revision

Kirill A. Shutemov (2):

cgroups: export cgroup_iter_{start,next,end}
cgroups: introduce timer slack subsystem

```
include/linux/cgroup_subsys.h | 6 +
include/linux/init_task.h    | 4 +-
init/Kconfig                  | 10 ++
kernel/Makefile               | 1 +
kernel/cgroup.c               | 3 +
kernel/cgroup_timer_slack.c   | 281 +++++
kernel/sys.c                  | 19 +-
7 files changed, 317 insertions(+), 7 deletions(-)
create mode 100644 kernel/cgroup_timer_slack.c
```

--

1.7.4

Containers mailing list

Containers@lists.linux-foundation.org

<https://lists.linux-foundation.org/mailman/listinfo/containers>
