

---

Subject: Re: [PATCH 7/9] add a user namespace owner of ipc ns  
Posted by [ebiederm](#) on Fri, 18 Feb 2011 03:19:58 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

"Serge E. Hallyn" <[serge@hallyn.com](mailto:serge@hallyn.com)> writes:

> Changelog:  
> Feb 15: Don't set new ipc->user\_ns if we didn't create a new  
> ipc\_ns.

Acked-by: "Eric W. Biederman" <[ebiederm@xmission.com](mailto:ebiederm@xmission.com)>

>  
> Signed-off-by: Serge E. Hallyn <[serge.hallyn@canonical.com](mailto:serge.hallyn@canonical.com)>  
> ---  
> include/linux/ipc\_namespace.h | 3 +++  
> ipc/msgutil.c | 3 +++  
> ipc/namespace.c | 9 ++++++--  
> kernel/nsproxy.c | 5 +++++  
> 4 files changed, 18 insertions(+), 2 deletions(-)  
>  
> diff --git a/include/linux/ipc\_namespace.h b/include/linux/ipc\_namespace.h  
> index 5195298..46d2eb4 100644  
> --- a/include/linux/ipc\_namespace.h  
> +++ b/include/linux/ipc\_namespace.h  
> @@ -24,6 +24,7 @@ struct ipc\_ids {  
> struct idr ipcs\_idr;  
> };  
>  
> +struct user\_namespace;  
> struct ipc\_namespace {  
> atomic\_t count;  
> struct ipc\_ids ids[3];  
> @@ -56,6 +57,8 @@ struct ipc\_namespace {  
> unsigned int mq\_msg\_max; /\* initialized to DFLT\_MSGMAX \*/  
> unsigned int mq\_msgsize\_max; /\* initialized to DFLT\_MSGSIZEMAX \*/  
>  
> + /\* user\_ns which owns the ipc ns \*/  
> + struct user\_namespace \*user\_ns;  
> };  
>  
> extern struct ipc\_namespace init\_ipc\_ns;  
> diff --git a/ipc/msgutil.c b/ipc/msgutil.c  
> index f095ee2..d91ff4b 100644  
> --- a/ipc/msgutil.c  
> +++ b/ipc/msgutil.c  
> @@ -20,6 +20,8 @@  
>

```

> DEFINE_SPINLOCK(mq_lock);
>
> +extern struct user_namespace init_user_ns;
> +
> /*
>  * The next 2 defines are here bc this is the only file
>  * compiled when either CONFIG_SYSVIPC and CONFIG_POSIX_MQUEUE
> @@ -32,6 +34,7 @@ struct ipc_namespace init_ipc_ns = {
>  .mq_msg_max    = DFLT_MSGMAX,
>  .mq_msgsize_max = DFLT_MSGSIZEMAX,
> #endif
> + .user_ns = &init_user_ns,
> };
>
> atomic_t nr_ipc_ns = ATOMIC_INIT(1);
> diff --git a/ipc/namespace.c b/ipc/namespace.c
> index a1094ff..aa18899 100644
> --- a/ipc/namespace.c
> +++ b/ipc/namespace.c
> @@ -11,10 +11,11 @@
> #include <linux/slab.h>
> #include <linux/fs.h>
> #include <linux/mount.h>
> +#include <linux/user_namespace.h>
>
> #include "util.h"
>
> -static struct ipc_namespace *create_ipc_ns(void)
> +static struct ipc_namespace *create_ipc_ns(struct ipc_namespace *old_ns)
> {
>  struct ipc_namespace *ns;
>  int err;
> @@ -43,6 +44,9 @@ static struct ipc_namespace *create_ipc_ns(void)
>  ipcns_notify(IPCNS_CREATED);
>  register_ipcns_notifier(ns);
>
> + ns->user_ns = old_ns->user_ns;
> + get_user_ns(ns->user_ns);
> +
>  return ns;
> }
>
> @@ -50,7 +54,7 @@ struct ipc_namespace *copy_ipcs(unsigned long flags, struct
ipc_namespace *ns)
> {
>  if (!(flags & CLONE_NEWIPC))
>    return get_ipc_ns(ns);
> - return create_ipc_ns();

```

```

> + return create_ipc_ns(ns);
> }
>
> /*
> @@ -105,6 +109,7 @@ static void free_ipc_ns(struct ipc_namespace *ns)
>  * order to have a correct value when recomputing msgmni.
>  */
> ipcns_notify(IPCNS_REMOVED);
> + put_user_ns(ns->user_ns);
> }
>
> /*
> diff --git a/kernel/nsproxy.c b/kernel/nsproxy.c
> index 034dc2e..b6dbff2 100644
> --- a/kernel/nsproxy.c
> +++ b/kernel/nsproxy.c
> @@ -85,6 +85,11 @@ static struct nsproxy *create_new_namespaces(unsigned long flags,
>  err = PTR_ERR(new_nsp->ipc_ns);
>  goto out_ipc;
> }
> + if (new_nsp->ipc_ns != tsk->nsproxy->ipc_ns) {
> + put_user_ns(new_nsp->ipc_ns->user_ns);
> + new_nsp->ipc_ns->user_ns = task_cred_xxx(tsk, user)->user_ns;
> + get_user_ns(new_nsp->ipc_ns->user_ns);
> + }
>
> new_nsp->pid_ns = copy_pid_ns(flags, task_active_pid_ns(tsk));
> if (IS_ERR(new_nsp->pid_ns)) {

```

---

Containers mailing list

Containers@lists.linux-foundation.org

<https://lists.linux-foundation.org/mailman/listinfo/containers>

---