

---

Subject: Re: [PATCH 6/9] user namespaces: convert all capable checks in kernel/sys.c

Posted by [akpm](#) on Sat, 19 Feb 2011 00:01:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

On Thu, 17 Feb 2011 15:03:42 +0000

"Serge E. Hallyn" <[serge@hallyn.com](mailto:serge@hallyn.com)> wrote:

```
> @@ -1177,8 +1189,11 @@ SYSCALL_DEFINE2(sethostname, char __user *, name, int, len)
> int errno;
> char tmp[__NEW_UTS_LEN];
>
> - if (!ns_capable(current->nsproxy->uts_ns->user_ns, CAP_SYS_ADMIN))
> + if (!ns_capable(current->nsproxy->uts_ns->user_ns, CAP_SYS_ADMIN)) {
> + printk(KERN_NOTICE "%s: did not have CAP_SYS_ADMIN\n", __func__);
> return -EPERM;
> + }
> + printk(KERN_NOTICE "%s: did have CAP_SYS_ADMIN\n", __func__);
> if (len < 0 || len > __NEW_UTS_LEN)
> return -EINVAL;
> down_write(&uts_sem);
```

Left over debugging printks?

---

Containers mailing list

[Containers@lists.linux-foundation.org](mailto:Containers@lists.linux-foundation.org)

<https://lists.linux-foundation.org/mailman/listinfo/containers>

---