

---

Subject: [PATCH 3/4] Add the required user\_ns parameter to security\_capable  
Posted by [serge](#) on Mon, 21 Feb 2011 04:02:47 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Fixes a compile failure.

Signed-off-by: Serge E. Hallyn <[serge.hallyn@canonical.com](mailto:serge.hallyn@canonical.com)>

---

```
drivers/pci/pci-sysfs.c | 2 ++
1 files changed, 1 insertions(+), 1 deletions(-)
```

```
diff --git a/drivers/pci/pci-sysfs.c b/drivers/pci/pci-sysfs.c
index ea25e5b..90a6b04 100644
--- a/drivers/pci/pci-sysfs.c
+++ b/drivers/pci/pci-sysfs.c
@@ -369,7 +369,7 @@ pci_read_config(struct file *filp, struct kobject *kobj,
    u8 *data = (u8 *) buf;

 /* Several chips lock up trying to read undefined config space */
- if (security_capable(filp->f_cred, CAP_SYS_ADMIN) == 0) {
+ if (security_capable(&init_user_ns, filp->f_cred, CAP_SYS_ADMIN) == 0) {
    size = dev->cfg_size;
 } else if (dev->hdr_type == PCI_HEADER_TYPE_CARDBUS) {
    size = 128;
```

--

1.7.0.4

---

Containers mailing list

[Containers@lists.linux-foundation.org](mailto:Containers@lists.linux-foundation.org)

<https://lists.linux-foundation.org/mailman/listinfo/containers>

---