Subject: Re: [PATCH 4/5] blk-throttle: track buffered and anonymous pages Posted by Vivek Goyal on Tue, 22 Feb 2011 20:49:28 GMT

View Forum Message <> Reply to Message

```
On Tue, Feb 22, 2011 at 10:42:41AM -0800, Chad Talbott wrote:
> On Tue, Feb 22, 2011 at 9:12 AM, Andrea Righi <arighi@develer.com> wrote:
> > Add the tracking of buffered (writeback) and anonymous pages.
> ...
>> ---
>> include/linux/blkdev.h | 26 +++++++++++
>> 2 files changed, 111 insertions(+), 2 deletions(-)
> >
> > diff --git a/block/blk-throttle.c b/block/blk-throttle.c
> > index 9ad3d1e..a50ee04 100644
>> --- a/block/blk-throttle.c
>> +++ b/block/blk-throttle.c
>> +int blk_throtl_set_anonpage_owner(struct page *page, struct mm_struct *mm)
> > +int blk_throtl_set_filepage_owner(struct page *page, struct mm_struct *mm)
>> +int blk throtl copy page owner(struct page *npage, struct page *opage)
> It would be nice if these were named blk_cgroup_*. This is arguably
> more correct as the id comes from the blkio subsystem, and isn't
> specific to blk-throttle. This will be more important very shortly,
> as CFQ will be using this same cgroup id for async IO tracking soon.
```

Should this really be all part of blk-cgroup.c and not blk-throttle.c so that it can be used by CFQ code also down the line? Anyway all this is not throttle specific as such but blkio controller specific.

Though function naming convetion is not great in blk-cgroup.c But functions either have blkio_prefix or blkiocg_prefix.

Functions which are not directly dealing with cgroups or in general are called by blk-throttle.c and/or cfq-iosched.c I have marked as prefixed with "blkio_". Functions which directly deal with cgroup stuff and register with cgroup subsystem for this controller are generally having "blkiocg_" prefix.

In this case probably we can use probably blkio prefix.

Thanks Vivek

Containers mailing list Containers@lists.linux-foundation.org https://lists.linux-foundation.org/mailman/listinfo/containe rs