
Subject: Network problem

Posted by [Rachid Abdoun](#) on Sat, 01 Jul 2006 00:52:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

like to create a bridge between two VPS. The VPS aren't attached on physical network it's just for testing...

ifconfig on hardware node :

```
phoenix:/vserver/openssl# ifconfig eth0
eth0    Lien encap:Ethernet HWaddr 00:0A:E4:53:A1:85
        inet adr:192.168.1.111 Bcast:192.168.1.255 Masque:
255.255.255.0
        adr inet6: fe80::20a:e4ff:fe53:a185/64 Scope:Lien
        UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
        RX packets:5901 errors:0 dropped:0 overruns:0 frame:0
        TX packets:3188 errors:0 dropped:0 overruns:0 carrier:0
        collisions:0 lg file transmission:1000
        RX bytes:548867 (536.0 KiB) TX bytes:462123 (451.2 KiB)
        Interruption:10
```

I'd like to create a virtual network but i've got this error :

```
phoenix:/vserver/openssl# vzctl start 101
Starting VPS ...
VPS is mounted
Adding IP address(es): 192.168.2.1
Unable to add IP 192.168.2.1: Inappropriate ioctl for device
Unable to del IP 192.168.2.1: Inappropriate ioctl for device
VPS start failed
Stopping VPS ...
VPS was stopped
VPS is unmounted
phoenix:/vserver/openssl# vzctl start 102
Starting VPS ...
VPS is mounted
Adding IP address(es): 192.168.2.2
Unable to add IP 192.168.2.2: Inappropriate ioctl for device
Unable to del IP 192.168.2.2: Inappropriate ioctl for device
VPS start failed
Stopping VPS ...
VPS was stopped
VPS is unmounted
phoenix:/vserver/openssl#
```

P.S: i have commented `setup_net()` in `/etc/init.d/vz`
