

---

Subject: Re: [RFC] vzctl 'make install' target  
Posted by [Christian Heim](#) on Sat, 01 Jul 2006 17:30:01 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

On Saturday 01 July 2006 00:50, Dmitry V. Levin wrote:  
>On Thu, Jun 29, 2006 at 01:00:28PM +0200, Christian Heim wrote:  
>> On Thursday 29 June 2006 11:03, Kir Kolyshkin wrote:  
>> >We want to fix it in next vzctl release. There are several solutions  
>> >possible:  
>>  
>> >(1) rename 'install' target to install-redhat, and add generic 'install'  
>> >target which will not install initscript and  
>> >/etc/sysconfig/network-scripts/\*venet0\* stuff  
>>  
>> >(2) leave install target as is and add 'install-generic' target which  
>> >will do the same as 'install' from (1)  
>>  
>> >(3) try to determine distro during runtime, from Makefile itself, and  
>> >act appropriately  
>>  
>> >(4) Pass some params to Makefile in environment, like SKIP\_NETSCRIPTS or  
>> >SKIP\_INITSCRIPT  
>>  
>> >(5) a variation of (1) -- add install-generic and install-redhat target,  
>> >do nothing but print a list of possible install-\* target on invocation  
>> >of 'make install'.  
>>  
>> >I prefer #5. What do people think? I am especially interested in hearing  
>> >from Debian and Gentoo maintainers.  
>>  
>> >Well, we don't prefer any specific, so #1, #2 or #5 would be fine with us.  
>  
>Likewise. My advice is to avoid #3.

Well even if it sounds nice, #3 would be a real pain in the ass (not for me).

>> >It's after all \_your\_ package ;)  
>  
> >It sounds like "do whatever you want, we'll patch our package anyway" :)

Nah, we'll use whatever you guys come up with :P (at least regarding #1, #2 and #5).

--  
Christian Heim <[phreak@gentoo.org](mailto:phreak@gentoo.org)>  
Gentoo Linux Developer - vserver/openvz

---