
Subject: Re: Mapping PIDs from parent->child namespaces

Posted by [Mike Heffner](#) on Tue, 04 Jan 2011 19:57:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

On 01/04/2011 11:04 AM, Daniel Lezcano wrote:

> On 01/04/2011 12:02 AM, Mike Heffner wrote:

>> Hi,

>>

>> Is it possible for a process running in a parent PID namespace to map
>> the PID of a process running in a child's namespace from the
>> parent->child's namespace? For example, if I spawn the process "myproc"
>> with CLONE_NEWPID then a call to getpid() inside myproc will return "1"
>> whereas in the parent's namespace that process could actually be PID
>> "23495". I'd like to be able to know that 23495 maps to 1 in the new NS.
>> Obviously, just mapping the first PID is straightforward since I can
>> just look at the result of clone(). However, mapping the PIDs of
>> processes subsequently forked from "myproc" -- in this example -- I
>> haven't been able to figure out.

>

> AFAIK, it is not possible.

>

> That would be very nice to show the pid<-> vpid association.

>

> The procfs is a good candidate to show these informations.

>

> That would makes sense to show the content of /proc/<pid>/status with
> the pid relatively to the namespace.

>

> Let me give an example:

>

> Assuming the process '1234' creates a new pid namespace, and the child
> which is '1' in the new namespace has the real pid '4321'. This one
> mounts its /proc.

>

> If the process '1234' looks at /proc/4321/root/proc/1/status, it sees:

>

> ...

> Tgid: 1

> Pid: 1

> PPid: 0

> ...

>

>

> It could be:

>

> ...

> Tgid: 4321

> Pid: 4321

> PPid: 1234
> ...
>
> as the file is inspected from the parent namespace. Of course, if the
> file is looked from the child namespace context, we will see '1', '1'
> and '0'.
>
> I suppose the patch in the kernel should very small also.
>
> Thoughts ?

Would that mean that finding the pid->vpid association for a real PID X requires checking all files /proc/<X>/root/proc/<Y>/status where Y is all vpid's until you find the one where Pid == X? It would be nice to have a have a way to check a single file for the association where vpid is not known beforehand -- unless I'm misunderstanding your solution.

Cheers,

Mike

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
