
Subject: [PATCH] Teach cifs about network namespaces.
Posted by [Rob Landley](#) on Tue, 11 Jan 2011 04:35:19 GMT
[View Forum Message](#) <> [Reply to Message](#)

From: Rob Landley <rlandley@parallels.com>

Teach cifs about network namespaces, so mounting uses addresses and routing visible from a container rather than from init context.

For a long drawn out test reproduction sequence, see:

<http://landley.livejournal.com/47024.html>
<http://landley.livejournal.com/47205.html>
<http://landley.livejournal.com/47476.html>

Signed-off-by: Rob Landley <rlandley@parallels.com>

```
fs/cifs/cifsglob.h | 32 ++++++
fs/cifs/connect.c | 22 ++++++-----
2 files changed, 49 insertions(+), 5 deletions(-)
```

```
diff --git a/fs/cifs/cifsglob.h b/fs/cifs/cifsglob.h
index 7136c0c..86f31bb 100644
--- a/fs/cifs/cifsglob.h
+++ b/fs/cifs/cifsglob.h
@@ -168,6 +168,9 @@ struct TCP_Server_Info {
     struct sockaddr_in6 sockAddr6;
 } addr;
     struct sockaddr_storage srcaddr; /* locally bind to this IP */
+#ifdef CONFIG_NET_NS
+ struct net *net;
+#endif
     wait_queue_head_t response_q;
     wait_queue_head_t request_q; /* if more than maxmpx to srvr must block*/
     struct list_head pending_mid_q;
@@ -227,6 +230,35 @@ struct TCP_Server_Info {
 };

/*
+ * Macros to allow the TCP_Server_Info->net field and related code to drop out
+ * when CONFIG_NET_NS isn't set.
+ */
+
+static inline struct net *
+cifs_net_ns(struct TCP_Server_Info *srv)
+{
+#ifdef CONFIG_NET_NS
```

```

+ return srv->net;
+ #else
+ return &init_net;
+ #endif
+ }
+
+ static inline void
+ cifs_set_net_ns(struct TCP_Server_Info *srv, struct net *net)
+ {
+ #ifdef CONFIG_NET_NS
+   srv->net = net;
+ #endif
+ }
+
+ #ifdef CONFIG_NET_NS
+ #define cifs_use_net_ns() (1)
+ #else
+ #define cifs_use_net_ns() (0)
+ #endif
+
+ /*
+  * Session structure. One of these for each uid session with a particular host
+  */
+ struct cifsSesInfo {
+ diff --git a/fs/cifs/connect.c b/fs/cifs/connect.c
+ index cc1a860..b4faef0 100644
+ --- a/fs/cifs/connect.c
+ +++ b/fs/cifs/connect.c
+ @@ -1545,6 +1545,10 @@ cifs_find_tcp_session(struct sockaddr *addr, struct smb_vol *vol)
+
+   spin_lock(&cifs_tcp_ses_lock);
+   list_for_each_entry(server, &cifs_tcp_ses_list, tcp_ses_list) {
+ +   if (cifs_use_net_ns()
+ +     && cifs_net_ns(server) == current->nsproxy->net_ns)
+ +     continue;
+ +
+     if (!match_address(server, addr,
+       (struct sockaddr *)&vol->srcaddr))
+       continue;
+ @@ -1572,6 +1576,9 @@ cifs_put_tcp_session(struct TCP_Server_Info *server)
+   return;
+ }
+
+ + if (cifs_use_net_ns())
+ +   put_net(cifs_net_ns(server));
+ +
+   list_del_init(&server->tcp_ses_list);
+   spin_unlock(&cifs_tcp_ses_lock);

```

```

@@ -1677,6 +1684,9 @@ cifs_get_tcp_session(struct smb_vol *volume_info)
    sizeof(tcp_ses->srcaddr));
    ++tcp_ses->srv_count;

+ if (cifs_use_net_ns())
+ cifs_set_net_ns(tcp_ses, get_net(current->nsproxy->net_ns));
+
    if (addr.ss_family == AF_INET6) {
        cFYI(1, "attempting ipv6 connect");
        /* BB should we allow ipv6 on port 139? */
@@ -1720,6 +1730,9 @@ cifs_get_tcp_session(struct smb_vol *volume_info)
out_err_crypto_release:
    cifs_crypto_shash_release(tcp_ses);

+ if (cifs_use_net_ns())
+ put_net(cifs_net_ns(tcp_ses));
+
out_err:
    if (tcp_ses) {
        if (!IS_ERR(tcp_ses->hostname))
@@ -2145,8 +2158,8 @@ ipv4_connect(struct TCP_Server_Info *server)
    struct socket *socket = server->ssocket;

    if (socket == NULL) {
- rc = sock_create_kern(PF_INET, SOCK_STREAM,
-     IPPROTO_TCP, &socket);
+ rc = __sock_create(cifs_net_ns(server), PF_INET,
+     SOCK_STREAM, IPPROTO_TCP, &socket, 1);
        if (rc < 0) {
            cERROR(1, "Error %d creating socket", rc);
            return rc;
@@ -2310,11 +2323,10 @@ ipv6_connect(struct TCP_Server_Info *server)
    struct socket *socket = server->ssocket;

    if (socket == NULL) {
- rc = sock_create_kern(PF_INET6, SOCK_STREAM,
-     IPPROTO_TCP, &socket);
+ rc = __sock_create(cifs_net_ns(server), PF_INET6,
+     SOCK_STREAM, IPPROTO_TCP, &socket, 1);
        if (rc < 0) {
            cERROR(1, "Error %d creating ipv6 socket", rc);
- socket = NULL;
            return rc;
        }
    }

```

Containers mailing list

