

---

Subject: \*SOLVED\* DNS Problem

Posted by [goeldi](#) on Tue, 04 Jul 2006 21:21:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Is this problem ( [http://forum.openvz.org/index.php?t=tree&th=717&mid= 3736&&rev=&reveal=](http://forum.openvz.org/index.php?t=tree&th=717&mid=3736&&rev=&reveal=)) solved? Because I am experiencing the exact same problem.

BTW: stopping iptables on the host system solves the symptom: I can do a ping google.com and the ping works. When I start iptables on the host, it doesn't work anymore. Same for wget etc. In my opinion, stopping iptables is not a professional solution, or did I miss something about openvz security?

These are the iptables rules on the host (no iptables on the ve yet):

```
# /sbin/service iptables status
```

```
Table: nat
```

```
Chain PREROUTING (policy ACCEPT)
```

```
target    prot opt source                destination
```

```
Chain POSTROUTING (policy ACCEPT)
```

```
target    prot opt source                destination
```

```
Chain OUTPUT (policy ACCEPT)
```

```
target    prot opt source                destination
```

```
Table: mangle
```

```
Chain PREROUTING (policy ACCEPT)
```

```
target    prot opt source                destination
```

```
Chain INPUT (policy ACCEPT)
```

```
target    prot opt source                destination
```

```
Chain FORWARD (policy ACCEPT)
```

```
target    prot opt source                destination
```

```
Chain OUTPUT (policy ACCEPT)
```

```
target    prot opt source                destination
```

```
Chain POSTROUTING (policy ACCEPT)
```

```
target    prot opt source                destination
```

```
Table: filter
```

```
Chain INPUT (policy ACCEPT)
```

```
target    prot opt source                destination
```

```
RH-Firewall-1-INPUT all -- 0.0.0.0/0            0.0.0.0/0
```

```
Chain FORWARD (policy ACCEPT)
```

```
target    prot opt source                destination
```

RH-Firewall-1-INPUT all -- 0.0.0.0/0 0.0.0.0/0

Chain OUTPUT (policy ACCEPT)

target prot opt source destination

Chain RH-Firewall-1-INPUT (2 references)

target prot opt source destination

ACCEPT	all	--	0.0.0.0/0	0.0.0.0/0	
ACCEPT	icmp	--	0.0.0.0/0	0.0.0.0/0	icmp type 255
ACCEPT	esp	--	0.0.0.0/0	0.0.0.0/0	
ACCEPT	ah	--	0.0.0.0/0	0.0.0.0/0	
ACCEPT	udp	--	0.0.0.0/0	224.0.0.251	udp dpt:5353
ACCEPT	udp	--	0.0.0.0/0	0.0.0.0/0	udp dpt:631
ACCEPT	all	--	0.0.0.0/0	0.0.0.0/0	state RELATED,ESTABLISHED
ACCEPT	tcp	--	0.0.0.0/0	0.0.0.0/0	state NEW tcp dpt:19150
ACCEPT	tcp	--	0.0.0.0/0	0.0.0.0/0	state NEW tcp dpt:10000
ACCEPT	tcp	--	0.0.0.0/0	0.0.0.0/0	state NEW tcp dpt:22
REJECT	all	--	0.0.0.0/0	0.0.0.0/0	reject-with icmp-host-prohibited

---