
Subject: [PATCH v7 7/8] Display current tcp memory allocation in kmem cgroup

Posted by [Glauber Costa](#) on Thu, 13 Oct 2011 13:09:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

This patch introduces kmem.tcp_current_memory file, living in the kmem_cgroup filesystem. It is a simple read-only file that displays the amount of kernel memory currently consumed by the cgroup.

Signed-off-by: Glauber Costa <glommer@parallels.com>

Reviewed-by: KAMEZAWA Hiroyuki<kamezawa.hiroyu@jp.fujitsu.com>

CC: David S. Miller <davem@davemloft.net>

CC: Eric W. Biederman <ebiederm@xmission.com>

Documentation/cgroups/memory.txt | 1 +
mm/memcontrol.c | 5 +++++
2 files changed, 6 insertions(+), 0 deletions(-)

diff --git a/Documentation/cgroups/memory.txt b/Documentation/cgroups/memory.txt

index e773bd7..b937a99 100644

--- a/Documentation/cgroups/memory.txt

+++ b/Documentation/cgroups/memory.txt

@@ -79,6 +79,7 @@ Brief summary of control files.

memory.independent_kmem_limit # select whether or not kernel memory limits are independent of user limits

memory.kmem.tcp.limit_in_bytes # set/show hard limit for tcp buf memory

+ memory.kmem.tcp.usage_in_bytes # show current tcp buf memory allocation

1. History

diff --git a/mm/memcontrol.c b/mm/memcontrol.c

index b696267..1ba318d 100644

--- a/mm/memcontrol.c

+++ b/mm/memcontrol.c

@@ -543,6 +543,11 @@ static struct cftype tcp_files[] = {

.read_u64 = mem_cgroup_read,

.private = MEMFILE_PRIVATE(_KMEM_TCP, RES_LIMIT),

},

+ {

+ .name = "kmem.tcp.usage_in_bytes",

+ .read_u64 = mem_cgroup_read,

+ .private = MEMFILE_PRIVATE(_KMEM_TCP, RES_USAGE),

+ },

};

static void tcp_create_cgroup(struct mem_cgroup *cg, struct cgroup_subsys *ss)

--

1.7.6.4
