
Subject: [PATCH v2] bridge: Reset IPCB on forward non-local packets in
br_handle_frame_finish()

Posted by [Vasily Averin](#) on Wed, 02 Nov 2011 19:37:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

v2: extra bracket was removed

if dst is not local br_handle_frame_finish() does not clone original skb and
forgets to reset IPCB before return to IP stack. it can lead to stack corruption
in icmp_send()

Signed-off-by: Vasily Averin <vvs@sw.ru>

net/bridge/br_input.c | 5 +---
1 files changed, 3 insertions(+), 2 deletions(-)

```
diff --git a/net/bridge/br_input.c b/net/bridge/br_input.c
index f06ee39..6be8d00 100644
--- a/net/bridge/br_input.c
+++ b/net/bridge/br_input.c
@@ -93,10 +93,11 @@ int br_handle_frame_finish(struct sk_buff *skb)
    skb2 = skb;

    br->dev->stats.multicast++;
- } else if ((dst = __br_fdb_get(br, dest)) && dst->is_local) {
+ } else if ((dst = __br_fdb_get(br, dest)) != NULL) {
    skb2 = skb;
    /* Do not forward the packet since it's local. */
-   skb = NULL;
+   if (dst->is_local)
+   skb = NULL;
}

if (skb) {
-- 1.7.5.4
```
