

---

Subject: [PATCH 0/6] NFS: create DNS resolver cache per network namespace  
Posted by [Stanislav Kinsbursky](#) on Fri, 25 Nov 2011 13:18:27 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

This patch set was created in context of clone of git  
branch: [git://git.linux-nfs.org/projects/trondmy/nfs-2.6.git](https://git.linux-nfs.org/projects/trondmy/nfs-2.6.git).  
tag: v3.1

This patch set depends on previous patch sets titled:

- 1) "SUNRPC: initial part of making pipefs work in net ns"
- 2) "SUNRPC: cleanup PipeFS for network-namespace-aware users"

Actually, this patch set consists of two tightly connected parts:

- 1) DNS resolver cache per network namespace implementation itself
- 2) DNS resolver cache entries creation by PipeFS network namespace aware routines.

Thus this patch set is the second part of "PipeFS per network namespace" story.

The following series consists of:

---

Stanislav Kinsbursky (6):

- SUNRPC: split cache creation and PipeFS registration
- NFS: split cache creation and PipeFS registration
- NFS: handle NFS caches entries by network namespace aware routines
- NFS: DNS resolver cache per network namespace context introduced
- NFS: DNS resolver PipeFS notifier introduced
- NFS: remove RPC PipeFS mount point references from NFS cache routines

```
fs/nfs/cache_lib.c      | 61 ++++++++-----
fs/nfs/cache_lib.h      | 10 +++
fs/nfs/dns_resolve.c    | 125 ++++++++-----
fs/nfs/dns_resolve.h    | 14 ++++
fs/nfs/inode.c          | 33 ++++++
fs/nfs/netns.h          | 13 ++++
fs/nfs/nfs4namespace.c  | 8 ++
include/linux/sunrpc/cache.h | 2 +
net/sunrpc/cache.c      | 12 +-
9 files changed, 218 insertions(+), 60 deletions(-)
create mode 100644 fs/nfs/netns.h
```

--  
Signature

---