

---

Subject: [PATCH v7 02/10] foundations of per-cgroup memory pressure controlling.  
Posted by Glauber Costa on Tue, 29 Nov 2011 23:56:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

This patch replaces all uses of struct sock fields' memory\_pressure, memory\_allocated, sockets\_allocated, and sysctl\_mem to accessor macros. Those macros can either receive a socket argument, or a mem\_cgroup argument, depending on the context they live in.

Since we're only doing a macro wrapping here, no performance impact at all is expected in the case where we don't have cgroups disabled.

Signed-off-by: Glauber Costa <glommer@parallels.com>  
CC: David S. Miller <davem@davemloft.net>  
CC: Hiroyuki Kamezawa <kamezawa.hiroyu@jp.fujitsu.com>  
CC: Eric W. Biederman <ebiederm@xmission.com>  
CC: Eric Dumazet <eric.dumazet@gmail.com>

---

```
include/net/sock.h |  96 ++++++-----+
include/net/tcp.h  |   3 +-+
net/core/sock.c   |  62 ++++++-----+
net/ipv4/proc.c   |   7 +---+
net/ipv4/tcp_input.c | 12 +----+
net/ipv4/tcp_ipv4.c |   4 +-+
net/ipv4/tcp_output.c |  2 +-+
net/ipv4/tcp_timer.c |  2 +-+
net/ipv6/tcp_ipv6.c |  2 +-+
9 files changed, 149 insertions(+), 41 deletions(-)
```

```
diff --git a/include/net/sock.h b/include/net/sock.h
index abb6e0f..a71447b 100644
--- a/include/net/sock.h
+++ b/include/net/sock.h
@@ -53,6 +53,7 @@
 #include <linux/security.h>
 #include <linux/slab.h>
 #include <linux/uaccess.h>
+#include <linux/memcontrol.h>

#include <linux/filter.h>
#include <linux/rculist_nulls.h>
@@ -863,6 +864,99 @@
 static inline void sk_refcnt_debug_release(const struct sock *sk)
#define sk_refcnt_debug_release(sk) do { } while (0)
#endif /* SOCK_REFCNT_DEBUG */

+static inline bool sk_has_memory_pressure(const struct sock *sk)
+{
+    return sk->sk_prot->memory_pressure != NULL;
```

```

+}
+
+static inline bool sk_under_memory_pressure(const struct sock *sk)
+{
+ if (!sk->sk_prot->memory_pressure)
+ return false;
+ return !!*sk->sk_prot->memory_pressure;
+}
+
+static inline void sk_leave_memory_pressure(struct sock *sk)
+{
+ int *memory_pressure = sk->sk_prot->memory_pressure;
+
+ if (memory_pressure && *memory_pressure)
+ *memory_pressure = 0;
+}
+
+static inline void sk_enter_memory_pressure(struct sock *sk)
+{
+ if (sk->sk_prot->enter_memory_pressure)
+ sk->sk_prot->enter_memory_pressure(sk);
+}
+
+static inline long sk_prot_mem_limits(const struct sock *sk, int index)
+{
+ long *prot = sk->sk_prot->sysctl_mem;
+ return prot[index];
+}
+
+static inline long
+sk_memory_allocated(const struct sock *sk)
+{
+ struct proto *prot = sk->sk_prot;
+ return atomic_long_read(prot->memory_allocated);
+}
+
+static inline long
+sk_memory_allocated_add(struct sock *sk, int amt)
+{
+ struct proto *prot = sk->sk_prot;
+ return atomic_long_add_return(amt, prot->memory_allocated);
+}
+
+static inline void
+sk_memory_allocated_sub(struct sock *sk, int amt)
+{
+ struct proto *prot = sk->sk_prot;
+ atomic_long_sub(amt, prot->memory_allocated);
}

```

```

+}
+
+static inline void sk_sockets_allocated_dec(struct sock *sk)
+{
+ struct proto *prot = sk->sk_prot;
+ percpu_counter_dec(prot->sockets_allocated);
+}
+
+static inline void sk_sockets_allocated_inc(struct sock *sk)
+{
+ struct proto *prot = sk->sk_prot;
+ percpu_counter_inc(prot->sockets_allocated);
+}
+
+static inline int
+sk_sockets_allocated_read_positive(struct sock *sk)
+{
+ struct proto *prot = sk->sk_prot;
+
+ return percpu_counter_sum_positive(prot->sockets_allocated);
+}
+
+static inline int
+memcg_sockets_allocated_sum_positive(struct proto *prot, struct mem_cgroup *memcg)
+{
+ return percpu_counter_sum_positive(prot->sockets_allocated);
+}
+
+static inline long
+memcg_memory_allocated(struct proto *prot, struct mem_cgroup *memcg)
+{
+ return atomic_long_read(prot->memory_allocated);
+}
+
+static inline bool
+memcg_memory_pressure(struct proto *prot, struct mem_cgroup *memcg)
+{
+ if (!prot->memory_pressure)
+ return false;
+ return !!prot->memory_pressure;
+}
+
#endif CONFIG_PROC_FS
/* Called with local bh disabled */
@@ -1670,7 +1764,7 @@ static inline struct page *sk_stream_alloc_page(struct sock *sk)

page = alloc_pages(sk->sk_allocation, 0);

```

```

if (!page) {
- sk->sk_prot->enter_memory_pressure(sk);
+ sk_enter_memory_pressure(sk);
    sk_stream_moderate_sndbuf(sk);
}
return page;
diff --git a/include/net/tcp.h b/include/net/tcp.h
index bb18c4d..f080e0b 100644
--- a/include/net/tcp.h
+++ b/include/net/tcp.h
@@ -44,6 +44,7 @@
#include <net/dst.h>

#include <linux/seq_file.h>
+#include <linux/memcontrol.h>

extern struct inet_hashinfo tcp_hashinfo;

@@ -285,7 +286,7 @@ static inline bool tcp_too_many_orphans(struct sock *sk, int shift)
}

if (sk->sk_wmem_queued > SOCK_MIN_SNDBUF &&
- atomic_long_read(&tcp_memory_allocated) > sysctl_tcp_mem[2])
+ sk_memory_allocated(sk) > sk_prot_mem_limits(sk, 2))
    return true;
    return false;
}
diff --git a/net/core/sock.c b/net/core/sock.c
index 4ed7b1d..44213ab 100644
--- a/net/core/sock.c
+++ b/net/core/sock.c
@@ -1288,7 +1288,7 @@ struct sock *sk_clone(const struct sock *sk, const gfp_t priority)
    newsk->sk_wq = NULL;

    if (newsk->sk_prot->sockets_allocated)
- percpu_counter_inc(newsk->sk_prot->sockets_allocated);
+ sk_sockets_allocated_inc(newsk);

    if (sock_flag(newsk, SOCK_TIMESTAMP) ||
        sock_flag(newsk, SOCK_TIMESTAMPING_RX_SOFTWARE))
@@ -1679,28 +1679,26 @@ int __sk_mem_schedule(struct sock *sk, int size, int kind)
    long allocated;

    sk->sk_forward_alloc += amt * SK_MEM_QUANTUM;
- allocated = atomic_long_add_return(amt, prot->memory_allocated);
+
+ allocated = sk_memory_allocated_add(sk, amt);

```

```

/* Under limit. */
- if (allocated <= prot->sysctl_mem[0]) {
- if (prot->memory_pressure && *prot->memory_pressure)
-   *prot->memory_pressure = 0;
- return 1;
- }
+ if (allocated <= sk_prot_mem_limits(sk, 0))
+ sk_leave_memory_pressure(sk);

/* Under pressure. */
- if (allocated > prot->sysctl_mem[1])
- if (prot->enter_memory_pressure)
-   prot->enter_memory_pressure(sk);
+ if (allocated > sk_prot_mem_limits(sk, 1))
+ sk_enter_memory_pressure(sk);

/* Over hard limit. */
- if (allocated > prot->sysctl_mem[2])
+ if (allocated > sk_prot_mem_limits(sk, 2))
  goto suppress_allocation;

/* guarantee minimum buffer size under pressure */
if (kind == SK_MEM_RECV) {
  if (atomic_read(&sk->sk_rmem_alloc) < prot->sysctl_rmem[0])
    return 1;
+
} else { /* SK_MEM_SEND */
  if (sk->sk_type == SOCK_STREAM) {
    if (sk->sk_wmem_queued < prot->sysctl_wmem[0])
@@ -1710,13 +1708,13 @@ int __sk_mem_schedule(struct sock *sk, int size, int kind)
    return 1;
  }
}

- if (prot->memory_pressure) {
+ if (sk_has_memory_pressure(sk)) {
  int alloc;

- if (!*prot->memory_pressure)
+ if (!sk_under_memory_pressure(sk))
  return 1;
- alloc = percpu_counter_read_positive(prot->sockets_allocated);
- if (prot->sysctl_mem[2] > alloc *
+ alloc = sk_sockets_allocated_read_positive(sk);
+ if (sk_prot_mem_limits(sk, 2) > alloc *
    sk_mem_pages(sk->sk_wmem_queued +
      atomic_read(&sk->sk_rmem_alloc) +
      sk->sk_forward_alloc))
@@ -1739,7 +1737,9 @@ suppress_allocation:

```

```

/* Alas. Undo changes. */
sk->sk_forward_alloc -= amt * SK_MEM_QUANTUM;
- atomic_long_sub(amt, prot->memory_allocated);
+
+ sk_memory_allocated_sub(sk, amt);
+
 return 0;
}
EXPORT_SYMBOL(__sk_mem_schedule);
@@ -1750,15 +1750,13 @@ EXPORT_SYMBOL(__sk_mem_schedule);
 */
void __sk_mem_reclaim(struct sock *sk)
{
- struct proto *prot = sk->sk_prot;
-
- atomic_long_sub(sk->sk_forward_alloc >> SK_MEM_QUANTUM_SHIFT,
- prot->memory_allocated);
+ sk_memory_allocated_sub(sk,
+ sk->sk_forward_alloc >> SK_MEM_QUANTUM_SHIFT);
 sk->sk_forward_alloc &= SK_MEM_QUANTUM - 1;

- if (prot->memory_pressure && *prot->memory_pressure &&
- (atomic_long_read(prot->memory_allocated) < prot->sysctl_mem[0]))
- *prot->memory_pressure = 0;
+ if (sk_under_memory_pressure(sk) &&
+ (sk_memory_allocated(sk) < sk_prot_mem_limits(sk, 0)))
+ sk_leave_memory_pressure(sk);
}
EXPORT_SYMBOL(__sk_mem_reclaim);

@@ -2474,16 +2472,30 @@ static char proto_method_implemented(const void *method)
{
 return method == NULL ? 'n' : 'y';
}
+static long sock_prot_memory_allocated(struct proto *proto,
+ struct mem_cgroup *memcg)
+{
+ return proto->memory_allocated != NULL ? memcg_memory_allocated(proto, memcg) : -1L;
+}
+
+static char *sock_prot_memory_pressure(struct proto *proto,
+ struct mem_cgroup *memcg)
+{
+ return proto->memory_pressure != NULL ?
+ memcg_memory_pressure(proto, memcg) ? "yes" : "no" : "NI";
+}

```

```

static void proto_seq_printf(struct seq_file *seq, struct proto *proto)
{
+ struct mem_cgroup *memcg = mem_cgroup_from_task(current);
+
    seq_printf(seq, "%-9s %4u %6d %6ld %-3s %6u %-3s %-10s "
        "%2c %2c %2c
%2c\n",
        proto->name,
        proto->obj_size,
        sock_prot_inuse_get(seq_file_net(seq), proto),
-    proto->memory_allocated != NULL ? atomic_long_read(proto->memory_allocated) : -1L,
-    proto->memory_pressure != NULL ? *proto->memory_pressure ? "yes" : "no" : "NI",
+    sock_prot_memory_allocated(proto, memcg),
+    sock_prot_memory_pressure(proto, memcg),
        proto->max_header,
        proto->slab == NULL ? "no" : "yes",
        module_name(proto->owner),
diff --git a/net/ipv4/proc.c b/net/ipv4/proc.c
index 466ea8b..969172b 100644
--- a/net/ipv4/proc.c
+++ b/net/ipv4/proc.c
@@ -53,20 +53,21 @@ static int sockstat_seq_show(struct seq_file *seq, void *v)
{
    struct net *net = seq->private;
    int orphans, sockets;
+ struct mem_cgroup *memcg = mem_cgroup_from_task(current);

    local_bh_disable();
    orphans = percpu_counter_sum_positive(&tcp_orphan_count);
-    sockets = percpu_counter_sum_positive(&tcp_sockets_allocated);
+    sockets = memcg_sockets_allocated_sum_positive(&tcp_prot, memcg);
    local_bh_enable();

    socket_seq_show(seq);
    seq_printf(seq, "TCP: inuse %d orphan %d tw %d alloc %d mem %ld\n",
        sock_prot_inuse_get(net, &tcp_prot), orphans,
        tcp_death_row.tw_count, sockets,
-        atomic_long_read(&tcp_memory_allocated));
+        memcg_memory_allocated(&tcp_prot, memcg));
    seq_printf(seq, "UDP: inuse %d mem %ld\n",
        sock_prot_inuse_get(net, &udp_prot),
-        atomic_long_read(&udp_memory_allocated));
+        memcg_memory_allocated(&udp_prot, memcg));
    seq_printf(seq, "UDPLITE: inuse %d\n",
        sock_prot_inuse_get(net, &udplite_prot));
    seq_printf(seq, "RAW: inuse %d\n",
diff --git a/net/ipv4/tcp_input.c b/net/ipv4/tcp_input.c
index 52b5c2d..b64b5e8 100644

```

```

--- a/net/ipv4/tcp_input.c
+++ b/net/ipv4/tcp_input.c
@@ -322,7 +322,7 @@ static void tcp_grow_window(struct sock *sk, const struct sk_buff *skb)
/* Check #1 */
if (tp->recv_ssthresh < tp->window_clamp &&
    (int)tp->recv_ssthresh < tcp_space(sk) &&
-   !tcp_memory_pressure) {
+   !sk_under_memory_pressure(sk)) {
    int incr;

    /* Check #2. Increase window, if skb with such overhead
@@ -411,8 +411,8 @@ static void tcp_clamp_window(struct sock *sk)

if (sk->sk_rcvbuf < sysctl_tcp_rmem[2] &&
    !(sk->sk_userlocks & SOCK_RCVBUF_LOCK) &&
-   !tcp_memory_pressure &&
-   atomic_long_read(&tcp_memory_allocated) < sysctl_tcp_mem[0]) {
+   !sk_under_memory_pressure(sk) &&
+   sk_memory_allocated(sk) < sk_prot_mem_limits(sk, 0)) {
    sk->sk_rcvbuf = min(atomic_read(&sk->sk_rmem_alloc),
                        sysctl_tcp_rmem[2]);
}
@@ -4864,7 +4864,7 @@ static int tcp_prune_queue(struct sock *sk)

if (atomic_read(&sk->sk_rmem_alloc) >= sk->sk_rcvbuf)
    tcp_clamp_window(sk);
- else if (tcp_memory_pressure)
+ else if (sk_under_memory_pressure(sk))
    tp->recv_ssthresh = min(tp->recv_ssthresh, 4U * tp->advmss);

tcp_collapse_ofo_queue(sk);
@@ -4930,11 +4930,11 @@ static int tcp_should_expand_sndbuf(const struct sock *sk)
return 0;

/* If we are under global TCP memory pressure, do not expand. */
- if (tcp_memory_pressure)
+ if (sk_under_memory_pressure(sk))
    return 0;

/* If we are under soft global TCP memory pressure, do not expand. */
- if (atomic_long_read(&tcp_memory_allocated) >= sysctl_tcp_mem[0])
+ if (sk_memory_allocated(sk) >= sk_prot_mem_limits(sk, 0))
    return 0;

/* If we filled the congestion window, do not expand. */
diff --git a/net/ipv4/tcp_ipv4.c b/net/ipv4/tcp_ipv4.c
index a744315..d1f4bf8 100644
--- a/net/ipv4/tcp_ipv4.c

```

```

+++ b/net/ipv4/tcp_ipv4.c
@@ -1915,7 +1915,7 @@ static int tcp_v4_init_sock(struct sock *sk)
    sk->sk_rcvbuf = sysctl_tcp_rmem[1];

    local_bh_disable();
- percpu_counter_inc(&tcp_sockets_allocated);
+ sk_sockets_allocated_inc(sk);
    local_bh_enable();

    return 0;
@@ -1971,7 +1971,7 @@ void tcp_v4_destroy_sock(struct sock *sk)
    tp->cookie_values = NULL;
}

- percpu_counter_dec(&tcp_sockets_allocated);
+ sk_sockets_allocated_dec(sk);
}
EXPORT_SYMBOL(tcp_v4_destroy_sock);

```

```

diff --git a/net/ipv4/tcp_output.c b/net/ipv4/tcp_output.c
index 980b98f..b378490 100644
--- a/net/ipv4/tcp_output.c
+++ b/net/ipv4/tcp_output.c
@@ -1919,7 +1919,7 @@ u32 __tcp_select_window(struct sock *sk)
if (free_space < (full_space >> 1)) {
    icsk->icsk_ack.quick = 0;

- if (tcp_memory_pressure)
+ if (sk_under_memory_pressure(sk))
    tp->rcv_ssthresh = min(tp->rcv_ssthresh,
        4U * tp->advmss);

```

```

diff --git a/net/ipv4/tcp_timer.c b/net/ipv4/tcp_timer.c
index 2e0f0af..d6ddacb 100644
--- a/net/ipv4/tcp_timer.c
+++ b/net/ipv4/tcp_timer.c
@@ -261,7 +261,7 @@ static void tcp_delack_timer(unsigned long data)
}
```

out:

```

- if (tcp_memory_pressure)
+ if (sk_under_memory_pressure(sk))
    sk_mem_reclaim(sk);
out_unlock:
    bh_unlock_sock(sk);
diff --git a/net/ipv6/tcp_ipv6.c b/net/ipv6/tcp_ipv6.c
index 36131d1..e666768 100644
--- a/net/ipv6/tcp_ipv6.c
```

```
+++ b/net/ipv6/tcp_ipv6.c
@@ -1995,7 +1995,7 @@ static int tcp_v6_init_sock(struct sock *sk)
    sk->sk_rcvbuf = sysctl_tcp_rmem[1];

    local_bh_disable();
- percpu_counter_inc(&tcp_sockets_allocated);
+ sk_sockets_allocated_inc(sk);
    local_bh_enable();

    return 0;
--
```

#### 1.7.6.4

---