

---

Subject: [PATCH 0/4] SUNRPC: pass network namespace context to sockaddr construction routines

Posted by [Stanislav Kinsbursky](#) on Wed, 07 Dec 2011 11:21:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

This is another precursor patch set aimed to remove hard-coded "init\_net" reference from SUNRPC sockaddr conversion and construction routines.

The following series consists of:

---

Stanislav Kinsbursky (4):

SUNRPC: use passed network namespace context in rpc\_parse\_scope\_id()

SUNRPC: use passed network namespace context in rpc\_pton6()

SUNRPC: use passed network namespace context in rpc\_pton()

SUNRPC: use passed network namespace context in rpc\_uaddr2sockaddr()

```
fs/nfs/dns_resolve.c      |  4 ++--
fs/nfs/nfs4filelayoutdev.c |  2 +-
fs/nfs/nfs4namespace.c    |  2 +-
fs/nfs/super.c            |  4 ++--
fs/nfsd/nfs4state.c       |  2 +-
fs/nfsd/nfsctl.c          |  2 +-
include/linux/sunrpc/clnt.h |  4 ++--
net/sunrpc/addr.c         | 24 ++++++++-----
net/sunrpc/rpcb_clnt.c    |  2 +-
net/sunrpc/svcauth_unix.c |  2 +-
10 files changed, 25 insertions(+), 23 deletions(-)
```

--

Signature

---