

---

Subject: Re: [PATCH v8 2/9] foundations of per-cgroup memory pressure controlling.

Posted by [KAMEZAWA Hiroyuki](#) on Fri, 09 Dec 2011 01:24:38 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

On Mon, 5 Dec 2011 19:34:56 -0200

Glauber Costa <[glommer@parallels.com](mailto:glommer@parallels.com)> wrote:

> This patch replaces all uses of struct sock fields' memory\_pressure,  
> memory\_allocated, sockets\_allocated, and sysctl\_mem to accessor  
> macros. Those macros can either receive a socket argument, or a mem\_cgroup  
> argument, depending on the context they live in.  
>  
> Since we're only doing a macro wrapping here, no performance impact at all is  
> expected in the case where we don't have cgroups disabled.  
>  
> Signed-off-by: Glauber Costa <[glommer@parallels.com](mailto:glommer@parallels.com)>  
> CC: David S. Miller <[davem@davemloft.net](mailto:davem@davemloft.net)>  
> CC: Hiroyouki Kamezawa <[kamezawa.hiroyu@jp.fujitsu.com](mailto:kamezawa.hiroyu@jp.fujitsu.com)>  
> CC: Eric W. Biederman <[ebiederm@xmission.com](mailto:ebiederm@xmission.com)>  
> CC: Eric Dumazet <[eric.dumazet@gmail.com](mailto:eric.dumazet@gmail.com)>

please get ack from network guys.

from me.

Reviewed-by: KAMEZAWA Hiroyuki <[kamezawa.hiroyu@jp.fujitsu.com](mailto:kamezawa.hiroyu@jp.fujitsu.com)>

---