
Subject: [PATCH 1/3] nitpick: make simple functions inline
Posted by [Glauber Costa](#) on Sun, 11 Dec 2011 14:45:36 GMT
[View Forum Message](#) <> [Reply to Message](#)

Those are quite simple bit-testing functions that are only used within this file. Not reason for them not to be inline.

Signed-off-by: Glauber Costa <glommer@parallels.com>

kernel/cgroup.c | 4 +---
1 files changed, 2 insertions(+), 2 deletions(-)

```
diff --git a/kernel/cgroup.c b/kernel/cgroup.c
index d9d5648..e4b9d3c 100644
--- a/kernel/cgroup.c
+++ b/kernel/cgroup.c
@@ @ -241,12 +241,12 @@ static int cgroup_is_releasable(const struct cgroup *cgrp)
    return (cgrp->flags & bits) == bits;
}

-static int notify_on_release(const struct cgroup *cgrp)
+static inline int notify_on_release(const struct cgroup *cgrp)
{
    return test_bit(CGRP_NOTIFY_ON_RELEASE, &cgrp->flags);
}

-static int clone_children(const struct cgroup *cgrp)
+static inline int clone_children(const struct cgroup *cgrp)
{
    return test_bit(CGRP_CLONE_CHILDREN, &cgrp->flags);
}
--
```

1.7.6.4
