
Subject: Nach bash update vzctl enter Problem

Posted by [IronMaidenFan](#) on Tue, 13 Dec 2011 15:40:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

ich habe einen Container in dem normal Debian Wheezy läuft. Bisher kein Problem. Kürzlich gab es jedoch ein Bash Update auf Version 4.2-1 von 4.1-3. Seit dem komme ich nicht mehr den Container mit vzctl enter 9001. Ein Neustart des CTS brachte auch keine Besserung. Der Container läuft bei einem Neustart problemlos. Das Hostsystem ist übrigens ein standard Debian Squeeze mit Kernel 2.6.32-5-ovnz-amd64.

Um genau zu sein: Ich drücke Enter um den Befehl auszuführen und der Cursor springt in die nächste Zeile. Dann passiert nix mehr. Ich kann den Befehl problemlos mit Strg-C beenden.

Mit 'ps auxf' sieht das ganze so aus:

```
1000  22971  0.0  0.0  21028  3580 pts/0  Ss  16:15  0:00 |  \_ -bash
root  25139  0.0  0.0  37160  1344 pts/0  S   16:22  0:00 |  \_ su -
root  25152  0.0  0.0  19540  2080 pts/0  S   16:22  0:00 |  \_ -su
root  28556  0.0  0.0  18624  956 pts/0  S+  16:31  0:00 |  \_ vzctl enter 9001
root  28557  0.0  0.0  18624  624 ?      Ss  16:31  0:00 |  \_ vzctl: pts/0
root  28558  0.0  0.0  17780  1928 /vz/root/9001/dev/pts/0 Ss+ 16:31  0:00 |  \_ -bash
```

Mit einem strace sind die letzten Zeilen dies hier:

```
[pid 28981] rt_sigaction(SIGRT_30, {SIG_DFL, [], SA_RESTORER, 0x7f739d5921e0}, NULL, 8) =
0
[pid 28981] rt_sigaction(SIGRT_31, {SIG_DFL, [], SA_RESTORER, 0x7f739d5921e0}, NULL, 8) =
0
[pid 28981] rt_sigaction(SIGRT_32, {SIG_DFL, [], SA_RESTORER, 0x7f739d5921e0}, NULL, 8) =
0
[pid 28981] rt_sigaction(65, {SIG_DFL, [], SA_RESTORER, 0x7f739d5921e0}, NULL, 8) = -1
EINVAL (Invalid argument)
[pid 28981] ioctl(4, 0x400c2e05, 0x7fff4dec2090) = 9001
[pid 28981] setgroups(0, []) = 0
[pid 28981] stat("/sbin/init", {st_mode=S_IFREG|0755, st_size=37000, ...}) = 0
[pid 28981] open("/sbin/init", O_RDONLY) = 5
[pid 28981] read(5, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\0\0\0\0>\0", 20) = 20
[pid 28981] close(5) = 0
[pid 28981] close(4) = 0
[pid 28981] open("/dev/ptmx", O_RDWR) = 4
[pid 28981] statfs("/dev/pts", {f_type="DEVPTS_SUPER_MAGIC", f_bsize=4096, f_blocks=0,
f_bfree=0, f_bavail=0, f_files=0, f_ffree=0, f_fsid={0, 0}, f_namelen=255, f_frsize=4096}) = 0
[pid 28981] ioctl(4, SNDCTL_TMR_TIMEBASE or TCGETS, {B38400 opost isig icanon echo ...}) =
0
[pid 28981] ioctl(4, TIOCGPTN, [0]) = 0
```

```

[pid 28981] stat("/dev/pts/0", {st_mode=S_IFCHR|0620, st_rdev=makedev(136, 0), ...}) = 0
[pid 28981] stat("/dev/pts/0", {st_mode=S_IFCHR|0620, st_rdev=makedev(136, 0), ...}) = 0
[pid 28981] getuid() = 0
[pid 28981] open("/etc/group", O_RDONLY|O_CLOEXEC) = 5
[pid 28981] lseek(5, 0, SEEK_CUR) = 0
[pid 28981] fstat(5, {st_mode=S_IFREG|0644, st_size=525, ...}) = 0
[pid 28981] mmap(NULL, 525, PROT_READ, MAP_SHARED, 5, 0) = 0x7f739e10a000
[pid 28981] lseek(5, 525, SEEK_SET) = 525
[pid 28981] munmap(0x7f739e10a000, 525) = 0
[pid 28981] close(5) = 0
[pid 28981] ioctl(4, TIOCSPTLCK, [0]) = 0
[pid 28981] ioctl(4, SNDCTL_TMR_TIMEBASE or TCGETS, {B38400 opost isig icanon echo ...}) = 0
[pid 28981] ioctl(4, TIOCGPTN, [0]) = 0
[pid 28981] stat("/dev/pts/0", {st_mode=S_IFCHR|0620, st_rdev=makedev(136, 0), ...}) = 0
[pid 28981] open("/dev/pts/0", O_RDWR|O_NOCTTY) = 5
[pid 28981] ioctl(5, SNDCTL_TMR_TIMEBASE or TCGETS, {B38400 opost isig icanon echo ...}) = 0
[pid 28981] ioctl(5, SNDCTL_TMR_CONTINUE or TCSETSIF, {B38400 opost isig icanon echo ...}) = 0
[pid 28981] ioctl(5, SNDCTL_TMR_TIMEBASE or TCGETS, {B38400 opost isig icanon echo ...}) = 0
[pid 28981] ioctl(5, TIOCSWINSZ, {ws_row=62, ws_col=237, ws_xpixel=0, ws_ypixel=0}) = 0
[pid 28981] ioctl(5, SNDCTL_TMR_TIMEBASE or TCGETS, {B38400 opost isig icanon echo ...}) = 0
[pid 28981] readlink("/proc/self/fd/5", "/dev/pts/0", 4095) = 10
[pid 28981] ioctl(5, SNDCTL_TMR_TIMEBASE or TCGETS, {B38400 opost isig icanon echo ...}) = 0
[pid 28981] readlink("/proc/self/fd/5", "/dev/pts/0", 4095) = 10
[pid 28981] rt_sigaction(SIGCHLD, {0x402ce0, [], SA_RESTORER|SA_NOCLDSTOP, 0x7f739d5921e0}, NULL, 8) = 0
[pid 28981] clone(Process 1052 attached
child_stack=0, flags=CLONE_CHILD_CLEAR_TID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x7f739e1049d0) = 1052
Process 28982 attached (waiting for parent)
[pid 28981] close(5) = 0
[pid 28981] close(9) = 0
[pid 28981] fcntl(3, F_GETFL) = 0 (flags O_RDONLY)
[pid 28981] fcntl(3, F_SETFL, O_RDONLY|O_NONBLOCK) = 0
[pid 28981] fcntl(4, F_GETFL) = 0x8002 (flags O_RDWR|O_LARGEFILE)
[pid 28981] fcntl(4, F_SETFL, O_RDWR|O_NONBLOCK|O_LARGEFILE) = 0
[pid 28981] select(1024, [3 4 10], NULL, NULL, NULL

```

Hat jmd. ähnliche Erfahrung kürzlich gehabt?

Oder kann mir jmd. Tipps geben, wie ich der Sache weiter auf den Grund gehen kann?

Gruß

Alexander
