

---

Subject: Re: [PATCH 1/7] perf: use event\_name() to get an event name  
Posted by [Arnaldo Carvalho de M\[2\]](#) on Tue, 06 Dec 2011 14:02:43 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Em Mon, Nov 28, 2011 at 12:03:29PM +0300, Andrew Vagin escreveu:  
> perf\_evsel.name may be not initialized

I'm applying this one to my perf/urgent branch and will ask Ingo to merge it today.

```
> Signed-off-by: Andrew Vagin <avagin@openvz.org>
> ---
> tools/perf/util/header.c | 2 +-
> 1 files changed, 1 insertions(+), 1 deletions(-)
>
> diff --git a/tools/perf/util/header.c b/tools/perf/util/header.c
> index bcd05d0..33c17a2 100644
> --- a/tools/perf/util/header.c
> +++ b/tools/perf/util/header.c
> @@ -388,7 +388,7 @@ static int write_event_desc(int fd, struct perf_header *h __used,
> /*
>  * write event string as passed on cmdline
>  */
> - ret = do_write_string(fd, attr->name);
> + ret = do_write_string(fd, event_name(attr));
> if (ret < 0)
> return ret;
> /*
> --
> 1.7.1
```

---