
Subject: Re: [PATCH] SUNRPC: search for service transports in network namespace context

Posted by Stanislav Kinsbursky on Tue, 20 Dec 2011 10:31:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

> On 12/20/2011 03:14 PM, Stanislav Kinsbursky wrote:
>> Service transports are parametrized by network namespace. And thus lookup of
>> transport instance have to take network namespace into account.
>>
>> Signed-off-by: Stanislav Kinsbursky<skinsbursky@parallels.com>
>>
>> ---
>> fs/lockd/svc.c | 2 +-
>> fs/nfsd/nfsctl.c | 4 +---
>> include/linux/sunrpc/svc_xprt.h | 3 +-+
>> net/sunrpc/svc_xprt.c | 6 +++++-
>> 4 files changed, 10 insertions(+), 5 deletions(-)
>>
>> diff --git a/fs/lockd/svc.c b/fs/lockd/svc.c
>> index c061b9a..ff379ff 100644
>> --- a/fs/lockd/svc.c
>> +++ b/fs/lockd/svc.c
>> @@ -193,7 +193,7 @@ static int create_lockd_listener(struct svc_serv *serv, const char
*name,
>> {
>> struct svc_xprt *xprt;
>>
>> - xprt = svc_find_xprt(serv, name, family, 0);
>> + xprt = svc_find_xprt(serv, name,&init_net, family, 0);
>> if (xprt == NULL)
>> return svc_create_xprt(serv, name,&init_net, family, port,
>> SVC_SOCK_DEFAULTS);
>
> I might be missing something, but isn't it (at least part of it) already
> merged in commit fc5d00b04a3a58cac8620403dfe9f43f72578ec1 ?
>

Nope, those one was parameterizing transport creation by network namespace.
This one is parameterizing search in poll of existent service transports by
network namespace.

--
Best regards,
Stanislav Kinsbursky
