
Subject: Re: arpsend: x.x.x.x is detected on another computer

Posted by [hvdkamer](#) on Tue, 11 Jul 2006 09:19:45 GMT

[View Forum Message](#) <> [Reply to Message](#)

dev wrote on Sun, 09 July 2006 13:34 Check output of the following command in the host:

```
# ifconfig
# ip a l
# ip r l
```

I have experimented with IP-adress 192.168.13.1 on eth0:1 but that didn't resolve my networking problems inside the VE. As said above, this MAC address can only come from OpenVZ itself. But may be you see something different in this output:

```
strato:~# /etc/init.d/vz stop
```

```
Shutting down VPS 1313
```

```
Stopping OpenVZ: ..done
```

```
strato:~# ifconfig
```

```
eth0    Link encap:Ethernet  HWaddr 00:30:48:58:09:F0
        inet addr:85.214.61.55  Bcast:85.214.61.55  Mask:255.255.255.255
        UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
        RX packets:96934 errors:0 dropped:0 overruns:0 frame:0
        TX packets:11622 errors:0 dropped:0 overruns:0 carrier:0
        collisions:0 txqueuelen:1000
        RX bytes:30646960 (29.2 MiB)  TX bytes:3059910 (2.9 MiB)
        Interrupt:24
```

```
lo      Link encap:Local Loopback
        inet addr:127.0.0.1  Mask:255.0.0.0
        UP LOOPBACK RUNNING  MTU:16436  Metric:1
        RX packets:0 errors:0 dropped:0 overruns:0 frame:0
        TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
        collisions:0 txqueuelen:0
        RX bytes:0 (0.0 b)  TX bytes:0 (0.0 b)
```

```
strato:~# ip a l
```

```
2: lo: <LOOPBACK,UP> mtu 16436 qdisc noqueue
```

```
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
```

```
    inet 127.0.0.1/8 scope host lo
```

```
4: eth0: <BROADCAST,MULTICAST,UP> mtu 1500 qdisc pfifo_fast qlen 1000
```

```
    link/ether 00:30:48:58:09:f0 brd ff:ff:ff:ff:ff:ff
```

```
    inet 85.214.61.55/32 brd 85.214.61.55 scope global eth0
```

```
6: eth1: <BROADCAST,MULTICAST> mtu 1500 qdisc noop qlen 1000
```

```
    link/ether 00:30:48:58:09:f1 brd ff:ff:ff:ff:ff:ff
```

```
strato:~# ip r l
```

```
85.214.48.1 dev eth0  scope link
```

```
default via 85.214.48.1 dev eth0
```

```

strato:~# /etc/init.d/vz start
Starting OpenVZ: ..done
Bringing up interface venet0: ..done
Configuring interface venet0: ..done
strato:~# ifconfig
eth0    Link encap:Ethernet  HWaddr 00:30:48:58:09:F0
        inet addr:85.214.61.55  Bcast:85.214.61.55  Mask:255.255.255.255
        UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
        RX packets:97042 errors:0 dropped:0 overruns:0 frame:0
        TX packets:11676 errors:0 dropped:0 overruns:0 carrier:0
        collisions:0 txqueuelen:1000
        RX bytes:30660432 (29.2 MiB)  TX bytes:3068042 (2.9 MiB)
        Interrupt:24

lo      Link encap:Local Loopback
        inet addr:127.0.0.1  Mask:255.0.0.0
        UP LOOPBACK RUNNING  MTU:16436  Metric:1
        RX packets:0 errors:0 dropped:0 overruns:0 frame:0
        TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
        collisions:0 txqueuelen:0
        RX bytes:0 (0.0 b)  TX bytes:0 (0.0 b)

venet0  Link encap:UNSPEC  HWaddr 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00
        UP BROADCAST POINTOPOINT RUNNING NOARP  MTU:1500  Metric:1
        RX packets:0 errors:0 dropped:0 overruns:0 frame:0
        TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
        collisions:0 txqueuelen:0
        RX bytes:0 (0.0 b)  TX bytes:0 (0.0 b)

strato:~# ip a l
2: lo: <LOOPBACK,UP> mtu 16436 qdisc noqueue
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
4: eth0: <BROADCAST,MULTICAST,UP> mtu 1500 qdisc pfifo_fast qlen 1000
    link/ether 00:30:48:58:09:f0 brd ff:ff:ff:ff:ff:ff
    inet 85.214.61.55/32 brd 85.214.61.55 scope global eth0
6: eth1: <BROADCAST,MULTICAST> mtu 1500 qdisc noop qlen 1000
    link/ether 00:30:48:58:09:f1 brd ff:ff:ff:ff:ff:ff
5: venet0: <BROADCAST,POINTOPOINT,NOARP,UP> mtu 1500 qdisc noqueue
    link/void
strato:~# ip r l
85.214.48.1 dev eth0 scope link
default via 85.214.48.1 dev eth0
strato:~# vzctl start 1313
Starting VPS ...
VPS is mounted
Adding IP address(es): 192.168.13.2
arp send: 192.168.13.2 is detected on another computer : 00:00:5e:00:01:02

```

```

vps-net_add WARNING: arpsend -c 1 -w 1 -D -e 192.168.13.2 eth0 FAILED
Setting CPU units: 1000
VPS start in progress...
strato:~# ifconfig
eth0    Link encap:Ethernet  HWaddr 00:30:48:58:09:F0
        inet addr:85.214.61.55  Bcast:85.214.61.55  Mask:255.255.255.255
        UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
        RX packets:97115 errors:0 dropped:0 overruns:0 frame:0
        TX packets:11716 errors:0 dropped:0 overruns:0 carrier:0
        collisions:0 txqueuelen:1000
        RX bytes:30671056 (29.2 MiB)  TX bytes:3075326 (2.9 MiB)
        Interrupt:24

lo      Link encap:Local Loopback
        inet addr:127.0.0.1  Mask:255.0.0.0
        UP LOOPBACK RUNNING  MTU:16436  Metric:1
        RX packets:0 errors:0 dropped:0 overruns:0 frame:0
        TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
        collisions:0 txqueuelen:0
        RX bytes:0 (0.0 b)  TX bytes:0 (0.0 b)

venet0  Link encap:UNSPEC  HWaddr 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00
        UP BROADCAST POINTOPOINT RUNNING NOARP  MTU:1500  Metric:1
        RX packets:0 errors:0 dropped:0 overruns:0 frame:0
        TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
        collisions:0 txqueuelen:0
        RX bytes:0 (0.0 b)  TX bytes:0 (0.0 b)

strato:~# ip a l
2: lo: <LOOPBACK,UP> mtu 16436 qdisc noqueue
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
4: eth0: <BROADCAST,MULTICAST,UP> mtu 1500 qdisc pfifo_fast qlen 1000
    link/ether 00:30:48:58:09:f0 brd ff:ff:ff:ff:ff:ff
    inet 85.214.61.55/32 brd 85.214.61.55 scope global eth0
6: eth1: <BROADCAST,MULTICAST> mtu 1500 qdisc noop qlen 1000
    link/ether 00:30:48:58:09:f1 brd ff:ff:ff:ff:ff:ff
5: venet0: <BROADCAST,POINTOPOINT,NOARP,UP> mtu 1500 qdisc noqueue
    link/void
strato:~# ip r l
192.168.13.2 dev venet0 scope link src 85.214.61.55
85.214.48.1 dev eth0 scope link
default via 85.214.48.1 dev eth0

```

See also my ping answers in the previous post. An Google on the MAC address gives more hits than you would believe. And almost always in combination with OpenVZ. So I think it is somewhere in there . As said, the FAILED arpsend is probably bogus. I now have networking,

after rebooting the computer. Setting the following in Debian `/etc/modules.conf` doesn't work:

```
options ip_conntrack ip_conntrack_enable_ve0=1
```

I now have the following first line in my firewall/iptables script:

```
modprobe ip_conntrack ip_conntrack_enable_ve0=1
```

That only works if the module wasn't loaded before without this option! `rmmod` doesn't help, you **NEED** to reboot.
