
Subject: Re: A question about Node RAM
Posted by [Tim Small](#) on Fri, 06 Jan 2012 20:19:46 GMT
[View Forum Message](#) <> [Reply to Message](#)

On 06/01/12 19:35, Quentin MACHU wrote:

> Hello,
>
> Thanks again!
>
> You mean that we should use for exemple this stable kernel :
> <http://download.openvz.org/kernel/branches/rhel6-2.6.32/042stab044.11/vzkernel-2.6.32-042stab044.11.i686.rpm>
> to get a lot of stability ? By following this little guide :
> http://wiki.openvz.org/Install_kernel_from_rpm_on_debian.
>
> The apps won't be so disk IO-vore. Tons of VM are for... LAMP /
> VocalServer / Minecraft & other game servers...

Isn't that "putting all your eggs in one basket"? What happens if that machine has a hardware fault? Personally, I'd perhaps favour going for e.g. 4 or 5 Sandy Bridge based machines, each being quad core, and with 32G RAM (maybe something like a Dell R210 II), and use some sort of clustering system (maybe pacemaker with drbd, or glusterfs, or sheepdog) to distribute the storage between the nodes, and allow moving VMs between nodes.

May well be cheaper too, but almost certainly more reliable... Larger numbers of simpler cheaper machines is how Google, Amazon etc. do it - big fat machines like the one you've described are usually trouble in my experience...

Tim.

--

South East Open Source Solutions Limited
Registered in England and Wales with company number 06134732.
Registered Office: 2 Powell Gardens, Redhill, Surrey, RH1 1TQ
VAT number: 900 6633 53 <http://seoss.co.uk/> +44-(0)1273-808309
