
Subject: [PATCH 2/4] SUNRPC: clear svc transports lists helper introduced
Posted by Stanislav Kinsbursky on Wed, 25 Jan 2012 13:47:17 GMT
[View Forum Message](#) <[Reply to Message](#)

This patch moves service transports deletion from service sockets lists to separated function.

This is a precursor patch, which would be usefull with service shutdown in network namespace context, introduced later in the series.

Signed-off-by: Stanislav Kinsbursky <skinsbursky@parallels.com>

net/sunrpc/svc_xprt.c | 19 ++++++-----
1 files changed, 11 insertions(+), 8 deletions(-)

```
diff --git a/net/sunrpc/svc_xprt.c b/net/sunrpc/svc_xprt.c
index 50bf7c1..493e70b 100644
--- a/net/sunrpc/svc_xprt.c
+++ b/net/sunrpc/svc_xprt.c
@@ -950,11 +950,19 @@ static void svc_clear_pools(struct svc_serv *serv)
}
}

-void svc_close_all(struct svc_serv *serv)
+static void svc_clear_list(struct list_head *xprt_list)
{
    struct svc_xprt *xprt;
    struct svc_xprt *tmp;

+ list_for_each_entry_safe(xprt, tmp, xprt_list, xpt_list) {
+     svc_delete_xprt(xprt);
+ }
+ BUG_ON(!list_empty(xprt_list));
+}
+
+void svc_close_all(struct svc_serv *serv)
+{
+     svc_close_list(&serv->sv_tempsocks);
+     svc_close_list(&serv->sv_permsocks);

@@ -964,13 +972,8 @@ void svc_close_all(struct svc_serv *serv)
 * svc_enqueue will not add new entries without taking the
 * sp_lock and checking XPT_BUSY.
 */
- list_for_each_entry_safe(xprt, tmp, &serv->sv_tempsocks, xpt_list)
- svc_delete_xprt(xprt);
- list_for_each_entry_safe(xprt, tmp, &serv->sv_permsocks, xpt_list)
- svc_delete_xprt(xprt);
```

```
- BUG_ON(!list_empty(&serv->sv_permsocks));
- BUG_ON(!list_empty(&serv->sv_tempsocks));
+ svc_clear_list(&serv->sv_tempsocks);
+ svc_clear_list(&serv->sv_permsocks);
}

/*

```
