
Subject: [PATCH 5/5] NFS: pass transport net to rpc_pton() while parse server name

Posted by Stanislav Kinsbursky on Thu, 26 Jan 2012 11:12:05 GMT

[View Forum Message](#) <[Reply to Message](#)

Signed-off-by: Stanislav Kinsbursky <skinsbursky@parallels.com>

fs/nfs/nfs4namespace.c | 6 +----
1 files changed, 3 insertions(+), 3 deletions(-)

```
diff --git a/fs/nfs/nfs4namespace.c b/fs/nfs/nfs4namespace.c  
index 48a9acd..667ea74 100644  
--- a/fs/nfs/nfs4namespace.c  
+++ b/fs/nfs/nfs4namespace.c  
@@ -97,11 +97,11 @@ static size_t nfs_parse_server_name(char *string, size_t len,  
    struct sockaddr *sa, size_t salen, struct nfs_server *server)  
{  
    ssize_t ret;  
+ struct net *net = server->client->cl_xprt->xprt_net;  
  
- ret = rpc_pton(&init_net, string, len, sa, salen);  
+ ret = rpc_pton(net, string, len, sa, salen);  
    if (ret == 0) {  
-     ret = nfs_dns_resolve_name(server->client->cl_xprt->xprt_net,  
-         string, len, sa, salen);  
+     ret = nfs_dns_resolve_name(net, string, len, sa, salen);  
        if (ret < 0)  
            ret = 0;  
    }
```
