
Subject: [PATCH rhel6] Allow ipv6 proxies and arp proxies be shown with iproute2
Posted by [Tony Zelenoff](#) on Thu, 26 Jan 2012 14:49:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

Add ability to return neighbour proxies list to caller if
it sent full ndmsg structure and has NTF_PROXY flag set.

Before this patch (and before iproute2 patches):

```
$ ip neigh add proxy 2001::1 dev eth0
$ ip -6 neigh show
$
```

After it and with applied iproute2 patches:

```
$ ip neigh add proxy 2001::1 dev eth0
$ ip -6 neigh show
2001::1 dev eth0 proxy
$
```

Compatibility with old versions of iproute2 is not broken,
kernel checks for incoming structure size and properly
works if old structure is came.

CC: davem@davemloft.net
CC: kuznet@ms2.inr.ac.ru
CC: netdev@vger.kernel.org
CC: xemul@parallels.com
Signed-off-by: Tony Zelenoff <antonz@parallels.com>

```
net/core/neighbour.c | 90 ++++++
1 files changed, 87 insertions(+), 3 deletions(-)
```

diff --git a/net/core/neighbour.c b/net/core/neighbour.c

index 6dbcf51..009aad0 100644

--- a/net/core/neighbour.c

+++ b/net/core/neighbour.c

```
@@ -2111,6 +2111,35 @@ nla_put_failure:
    return -EMSGSIZE;
}
```

```
+static int pneighbor_fill_info(struct sk_buff *skb, struct pneighbor_entry *pn,
+    u32 pid, u32 seq, int type, unsigned int flags,
+    struct neighbor_table *tbl)
+{
+    struct nlmsg_hdr *nlh;
+    struct ndmsg *ndm;
+
+    nlh = nlmsg_put(skb, pid, seq, type, sizeof(*ndm), flags);
+    if (nlh == NULL)
```

```

+ return -EMSGSIZE;
+
+ ndm = nlmsg_data(nlh);
+ ndm->ndm_family = tbl->family;
+ ndm->ndm_pad1 = 0;
+ ndm->ndm_pad2 = 0;
+ ndm->ndm_flags = pn->flags | NTF_PROXY;
+ ndm->ndm_type = NDA_DST;
+ ndm->ndm_ifindex = pn->dev->ifindex;
+ ndm->ndm_state = NUD_NONE;
+
+ NLA_PUT(skb, NDA_DST, tbl->key_len, pn->key);
+
+ return nlmsg_end(skb, nlh);
+
+nla_put_failure:
+ nlmsg_cancel(skb, nlh);
+ return -EMSGSIZE;
+}
+
static void neigh_update_notify(struct neighbour *neigh)
{
    call_netevent_notifiers(NETEVENT_NEIGH_UPDATE, neigh);
@@ -2156,23 +2185,78 @@ out:
    return rc;
}

+static int pneigh_dump_table(struct neigh_table *tbl, struct sk_buff *skb,
+    struct netlink_callback *cb)
+{
+    struct pneigh_entry *n;
+    struct net *net = sock_net(skb->sk);
+    int rc, h, s_h = cb->args[3];
+    int idx, s_idx = idx = cb->args[4];
+
+    read_lock_bh(&tbl->lock);
+
+    for (h = 0; h <= PNEIGH_HASHMASK; h++) {
+        if (h < s_h)
+            continue;
+        if (h > s_h)
+            s_idx = 0;
+        for (n = tbl->phash_buckets[h], idx = 0; n; n = n->next) {
+            if (dev_net(n->dev) != net)
+                continue;
+            if (idx < s_idx)
+                goto next;
+            if (pneigh_fill_info(skb, n, NETLINK_CB(cb->skb).pid,

```

```

+     cb->nlh->nmsg_seq,
+     RTM_NEWNEIGH,
+     NLM_F_MULTI, tbl) <= 0) {
+     read_unlock_bh(&tbl->lock);
+     rc = -1;
+     goto out;
+ }
+ next:
+     idx++;
+ }
+ }
+
+ read_unlock_bh(&tbl->lock);
+ rc = skb->len;
+out:
+     cb->args[3] = h;
+     cb->args[4] = idx;
+     return rc;
+
+}
+
static int neigh_dump_info(struct sk_buff *skb, struct netlink_callback *cb)
{
    struct neigh_table *tbl;
    int t, family, s_t;
+ int proxy = 0;
+ int err = 0;

    read_lock(&neigh_tbl_lock);
    family = ((struct rtgenmsg *) nmsg_data(cb->nlh))->rtgen_family;
+
+ /* check for full ndmsg structure presence, family member is
+  * the same for both structures */
+ if (nmsg_len(cb->nlh) == sizeof(struct ndmsg) &&
+     ((struct ndmsg *) nmsg_data(cb->nlh))->ndm_flags == NTF_PROXY)
+     proxy = 1;
+
    s_t = cb->args[0];

- for (tbl = neigh_tables, t = 0; tbl; tbl = tbl->next, t++) {
+ for (tbl = neigh_tables, t = 0; tbl && (err >= 0);
+     tbl = tbl->next, t++) {
    if (t < s_t || (family && tbl->family != family))
        continue;
    if (t > s_t)
        memset(&cb->args[1], 0, sizeof(cb->args) -
            sizeof(cb->args[0]));
- if (neigh_dump_table(tbl, skb, cb) < 0)

```

```
- break;
+ if (proxy) {
+   err = p neigh_dump_table(tbl, skb, cb);
+   continue;
+ }
+ err = neigh_dump_table(tbl, skb, cb);
+ }
  read_unlock(&neigh_tbl_lock);
```

--

1.7.1
