
Subject: Re: [PATCH 1/4] NFS: make nfs_client_list per net ns
Posted by [Bryan Schumaker](#) on Tue, 07 Feb 2012 15:44:32 GMT
[View Forum Message](#) <> [Reply to Message](#)

On 02/07/12 10:34, Myklebust, Trond wrote:

```
> On Tue, 2012-02-07 at 10:32 -0500, Bryan Schumaker wrote:
>> I fixed up my bisect and identified this patch instead. The problem I'm seeing is:
>>
>> CC [M] fs/nfs/delegation.o
>> CC [M] fs/nfs/idmap.o
>> fs/nfs/idmap.c: In function 'rpc_pipefs_event':
>> fs/nfs/idmap.c:535:9: error: implicit declaration of function 'net_generic'
[-Werror=implicit-function-declaration]
>> fs/nfs/idmap.c:535:50: error: 'nfs_net_id' undeclared (first use in this function)
>> fs/nfs/idmap.c:535:50: note: each undeclared identifier is reported only once for each function
it appears in
>> fs/nfs/idmap.c:540:82: error: dereferencing pointer to incomplete type
>> fs/nfs/idmap.c:540:224: error: dereferencing pointer to incomplete type
>> cc1: some warnings being treated as errors
>>
>> make[2]: *** [fs/nfs/idmap.o] Error 1
>> make[1]: *** [fs/nfs] Error 2
>> make: *** [fs] Error 2
>>
>> I think you need to add: #include "netns.h" to idmap.c.
>>
>> - Bryan
>
> That should already be there in the 'devel' branch. See commit
> 17347d03c008e2f504c33bb4905cdad0abc01319.
>
```

Yes, but once I fixed this I was able to find the initial problem I was searching for (I have no idea how git led me to the wrong patch on my first attempt).

- Bryan
