
Subject: [PATCH 0/8] NFSd: precursor and cleanup patch set
Posted by [Stanislav Kinsbursky](#) on Wed, 28 Mar 2012 15:08:53 GMT
[View Forum Message](#) <> [Reply to Message](#)

This patch set prepares ground for making NFSd export and expkey caches allocated and registered per network namespace context.
Mainly, it just replaces hard-coded pointers with dereferenced everywhere required.

The following series consists of:

Stanislav Kinsbursky (8):

- nfsd: use passed cache_detail pointer expkey_parse()
- nfsd: add link to owner cache detail to svc_export structure
- nfsd: use cache detail pointer from svc_export structure on cache put
- nfsd: use exp_put() for svc_export_cache put
- nfsd: pass svc_export_cache pointer as private data to "exports" seq file ops
- nfsd: use hash table from cache detail in nfsd export seq ops
- nfsd: pass pointer to export cache down to stack wherever possible.
- nfsd: pass pointer to expkey cache down to stack wherever possible.

```
fs/nfsd/export.c      | 102 ++++++-----  
fs/nfsd/nfsctl.c      | 11 +++-  
fs/nfsd/nfsfh.c       | 2 -  
include/linux/nfsd/export.h | 3 +  
4 files changed, 71 insertions(+), 47 deletions(-)
```
