
Subject: [PATCH 2/4] nfsd: make export cache allocated per network namespace context

Posted by Stanislav Kinsbursky on Wed, 11 Apr 2012 11:13:21 GMT

[View Forum Message](#) <[Reply to Message](#)

This patch also changes prototypes of nfsd_export_flush() and exp_rootfh(): network namespace parameter added.

Signed-off-by: Stanislav Kinsbursky <skinsbursky@parallels.com>

```
fs/nfsd/export.c      | 47 ++++++-----  
fs/nfsd/netns.h      |  2 ++  
fs/nfsd/nfsctl.c     |  2 +-  
fs/nfsd/nfssvc.c     |  2 +-  
include/linux/nfsd/export.h |  4 +---  
5 files changed, 38 insertions(+), 19 deletions(-)
```

```
diff --git a/fs/nfsd/export.c b/fs/nfsd/export.c  
index 688264b..84d020f 100644  
--- a/fs/nfsd/export.c  
+++ b/fs/nfsd/export.c  
@@ -15,11 +15,13 @@  
 #include <linux/namei.h>  
 #include <linux/module.h>  
 #include <linux/exportfs.h>  
+#include <linux/sunrpc/svc_xprt.h>  
  
#include <net/ipv6.h>  
  
#include "nfsd.h"  
#include "nfsfh.h"  
+#include "netns.h"  
  
#define NFSDBG_FACILITY NFSDBG_EXPORT  
  
@@ -298,8 +300,6 @@ svc_expkey_update(struct cache_detail *cd, struct svc_expkey *new,  
#define EXPORT_HASHBITS 8  
#define EXPORT_HASHMAX (1<< EXPORT_HASHBITS)  
  
-static struct cache_head *export_table[EXPORT_HASHMAX];  
-  
static void nfsd4_fslocs_free(struct nfsd4_fs_locations *fsloc)  
{  
    int i;  
@@ -708,10 +708,9 @@ static struct cache_head *svc_export_alloc(void)  
    return NULL;  
}
```

```

-struct cache_detail svc_export_cache = {
+struct cache_detail svc_export_cache_template = {
    .owner = THIS_MODULE,
    .hash_size = EXPORT_HASHMAX,
-    .hash_table = export_table,
    .name = "nfsd.export",
    .cache_put = svc_export_put,
    .cache_upcall = svc_export_upcall,
@@ -835,7 +834,7 @@ static struct svc_export *exp_parent(struct cache_detail *cd, svc_client
*clp,
 * since its harder to fool a kernel module than a user space program.
 */
int
-exp_rootfh(svc_client *clp, char *name,
+exp_rootfh(struct net *net, svc_client *clp, char *name,
    struct knfsd_fh *f, int maxsize)
{
    struct svc_export *exp;
@@ -843,7 +842,8 @@ exp_rootfh(svc_client *clp, char *name,
    struct inode *inode;
    struct svc_fh fh;
    int err;
-    struct cache_detail *cd = &svc_export_cache;
+    struct nfsd_net *nn = net_generic(net, nfsd_net_id);
+    struct cache_detail *cd = nn->svc_export_cache;

    err = -EPERM;
    /* NB: we probably ought to check that it's NUL-terminated */
@@ -930,7 +930,8 @@ struct svc_export *
rqst_exp_get_by_name(struct svc_rqst *rqstp, struct path *path)
{
    struct svc_export *gssexp, *exp = ERR_PTR(-ENOENT);
-    struct cache_detail *cd = &svc_export_cache;
+    struct nfsd_net *nn = net_generic(rqstp->rq_xprt->xpt_net, nfsd_net_id);
+    struct cache_detail *cd = nn->svc_export_cache;

    if (rqstp->rq_client == NULL)
        goto gss;
@@ -960,7 +961,8 @@ struct svc_export *
rqst_exp_find(struct svc_rqst *rqstp, int fsid_type, u32 *fsidv)
{
    struct svc_export *gssexp, *exp = ERR_PTR(-ENOENT);
-    struct cache_detail *cd = &svc_export_cache;
+    struct nfsd_net *nn = net_generic(rqstp->rq_xprt->xpt_net, nfsd_net_id);
+    struct cache_detail *cd = nn->svc_export_cache;

    if (rqstp->rq_client == NULL)

```

```

goto gss;
@@ -1238,26 +1240,39 @@ int
nfsd_export_init(struct net *net)
{
int rv;
+ struct nfsd_net *nn = net_generic(net, nfsd_net_id);
+
dprintk("nfsd: initializing export module (net: %p).\n", net);

- rv = cache_register_net(&svc_export_cache, net);
+ nn->svc_export_cache = cache_create_net(&svc_export_cache_template, net);
+ if (IS_ERR(nn->svc_export_cache))
+ return PTR_ERR(nn->svc_export_cache);
+ rv = cache_register_net(nn->svc_export_cache, net);
if (rv)
- return rv;
+ goto destroy_export_cache;
+
rv = cache_register_net(&svc_expkey_cache, net);
if (rv)
- cache_unregister_net(&svc_export_cache, net);
- return rv;
+ goto unregister_export_cache;
+ return 0;

+unregister_export_cache:
+ cache_unregister_net(nn->svc_export_cache, net);
+destroy_export_cache:
+ cache_destroy_net(nn->svc_export_cache, net);
+ return rv;
}

/*
 * Flush exports table - called when last nfsd thread is killed
 */
void
-nfsd_export_flush(void)
+nfsd_export_flush(struct net *net)
{
+ struct nfsd_net *nn = net_generic(net, nfsd_net_id);
+
cache_purge(&svc_expkey_cache);
- cache_purge(&svc_export_cache);
+ cache_purge(nn->svc_export_cache);
}

/*
@@ -1266,11 +1281,13 @@ nfsd_export_flush(void)

```

```

void
nfsd_export_shutdown(struct net *net)
{
+ struct nfsd_net *nn = net_generic(net, nfsd_net_id);

    dprintk("nfsd: shutting down export module (net: %p).\n", net);

    cache_unregister_net(&svc_expkey_cache, net);
- cache_unregister_net(&svc_export_cache, net);
+ cache_unregister_net(nn->svc_export_cache, net);
+ cache_destroy_net(nn->svc_export_cache, net);
    svcauth_unix_purge();

    dprintk("nfsd: export shutdown complete (net: %p).\n", net);
diff --git a/fs/nfsd/netns.h b/fs/nfsd/netns.h
index 12e0cff..c1c6242 100644
--- a/fs/nfsd/netns.h
+++ b/fs/nfsd/netns.h
@@ -28,6 +28,8 @@ struct cld_net;

struct nfsd_net {
    struct cld_net *cld_net;
+
+   struct cache_detail *svc_export_cache;
};

extern int nfsd_net_id;
diff --git a/fs/nfsd/nfsctl.c b/fs/nfsd/nfsctl.c
index bc76f8e..ddb9f87 100644
--- a/fs/nfsd/nfsctl.c
+++ b/fs/nfsd/nfsctl.c
@@ -354,7 +354,7 @@ static ssize_t write_filehandle(struct file *file, char *buf, size_t size)
    if (!dom)
        return -ENOMEM;

-   len = exp_rootfh(dom, path, &fh, maxsize);
+   len = exp_rootfh(&init_net, dom, path, &fh, maxsize);
    auth_domain_put(dom);
    if (len)
        return len;
diff --git a/fs/nfsd/nfssvc.c b/fs/nfsd/nfssvc.c
index 78e5213..cb4d51d 100644
--- a/fs/nfsd/nfssvc.c
+++ b/fs/nfsd/nfssvc.c
@@ -261,7 +261,7 @@ static void nfsd_last_thread(struct svc_serv *serv, struct net *net)

    printk(KERN_WARNING "nfsd: last server has exited, flushing export "
           "cache\n");

```

```
- nfsd_export_flush();
+ nfsd_export_flush(net);
}

void nfsd_reset_versions(void)
diff --git a/include/linux/nfsd/export.h b/include/linux/nfsd/export.h
index 375096c..565c212 100644
--- a/include/linux/nfsd/export.h
+++ b/include/linux/nfsd/export.h
@@ -132,13 +132,13 @@ __be32 check_nfsd_access(struct svc_export *exp, struct svc_rqst
 *rqstp);
 */
int nfsd_export_init(struct net *);
void nfsd_export_shutdown(struct net *);
-void nfsd_export_flush(void);
+void nfsd_export_flush(struct net *);
struct svc_export * rqst_exp_get_by_name(struct svc_rqst *,
    struct path *);
struct svc_export * rqst_exp_parent(struct svc_rqst *,
    struct path *);
struct svc_export * rqst_find_fsidzero_export(struct svc_rqst *);
-int exp_rootfh(struct auth_domain *,
+int exp_rootfh(struct net *, struct auth_domain *,
    char *path, struct knfsd_fh *, int maxsize);
__be32 exp_pseudoroot(struct svc_rqst *, struct svc_fh *);
__be32 nfserrno(int errno);
```
