

---

Subject: Re: How to determine a container from the filesystem?

Posted by [fruitwerks](#) on Fri, 13 Apr 2012 22:24:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

You could run ifconfig and grep for venetX:X or by mac address (all zero) unless you have changed that specifically. I physical machine should not have venetX:X, simply venetX. This may be distribution dependent though, I am not sure.

- C

On Fri, Apr 13, 2012 at 8:07 PM, Brad Alexander <[storm16@gmail.com](mailto:storm16@gmail.com)> wrote:

> I just found out through the proxmox-ve forums that running ntp on a  
> container is considered a Bad Thing. So I am reworking my puppet  
> installation to disable ntp on the containers...But I was trying to  
> figure out a foolproof way of looking on the machine and determining  
> if it is a container or not. The only thing I have found so far is  
> that /proc/mtrr exists on the physical servers, but not on the  
> containers. Is this a viable way to make this determination or is  
> there a better way?

>

> Thanks,

> --b

--

---

Any use, dissemination, distribution, posting on Internet bulletin boards, disclosure or copying of this e-mail or any information contained herein by or to anyone other than the intended recipient(s) is strictly prohibited. Use of this content for any other purpose is a violation of International Copyright Laws.

---