
Subject: [PATCH v4] SUNRPC: move per-net operations from svc_destroy()
Posted by Stanislav Kinsbursky on Fri, 04 May 2012 08:49:41 GMT
[View Forum Message](#) <> [Reply to Message](#)

v4:

- 1) Added per-net data shutdown by the last kernel thread in nfsd().

v2:

- 1) Increase per-net usage counted in lockd_up_net(), because of note 2.

The idea is to separate service destruction and per-net operations, because these are two different things and it's mix looks ugly.

Notes:

- 1) For NFS server this patch looks ugly (sorry for that). But these place will be rewritten soon during NFSd containerization.
- 2) LockD per-net counter increase int lockd_up() was moved prior to make_socks() to make lockd_down_net() call safe in case of error.

Signed-off-by: Stanislav Kinsbursky <skinsbursky@parallels.com>

```
fs/lockd/svc.c | 27 ++++++-----  
fs/nfs/callback.c | 3 +++  
fs/nfsd/nfsctl.c | 12 ++++++---  
fs/nfsd/nfssvc.c | 14 ++++++-----  
net/sunrpc/svc.c | 4 ----  
5 files changed, 41 insertions(+), 19 deletions(-)
```

```
diff --git a/fs/lockd/svc.c b/fs/lockd/svc.c  
index b7e92ed..3250f28 100644  
--- a/fs/lockd/svc.c  
+++ b/fs/lockd/svc.c  
@@ -257,7 +257,7 @@ static int lockd_up_net(struct net *net)  
 struct svc_serv *serv = nlmsvc_rqst->rq_server;  
 int error;  
  
- if (ln->nlmsvc_users)  
+ if (ln->nlmsvc_users++)  
     return 0;  
  
     error = svc_rpcb_setup(serv, net);  
@@ -272,6 +272,7 @@ static int lockd_up_net(struct net *net)  
 err_socks:  
     svc_rpcb_cleanup(serv, net);  
 err_rpcb:  
+ ln->nlmsvc_users--;  
     return error;  
 }
```

```

@@ -299,6 +300,7 @@ int lockd_up(struct net *net)
{
    struct svc_serv *serv;
    int error = 0;
+   struct lockd_net *ln = net_generic(net, lockd_net_id);

    mutex_lock(&nlmsvc_mutex);
    /*
@@ -330,9 +332,11 @@ int lockd_up(struct net *net)
    goto destroy_and_out;
}

+ ln->nlmsvc_users++;
+
    error = make_socks(serv, net);
    if (error < 0)
-   goto destroy_and_out;
+   goto err_start;

/*
 * Create the kernel thread and wait for it to start.
@@ -344,7 +348,7 @@ int lockd_up(struct net *net)
    printk(KERN_WARNING
        "lockd_up: svc_rqst allocation failed, error=%d\n",
        error);
-   goto destroy_and_out;
+   goto err_start;
}

svc_sock_update_bufs(serv);
@@ -358,7 +362,7 @@ int lockd_up(struct net *net)
    nlmsvc_rqst = NULL;
    printk(KERN_WARNING
        "lockd_up: kthread_run failed, error=%d\n", error);
-   goto destroy_and_out;
+   goto err_start;
}

/*
@@ -368,14 +372,14 @@ int lockd_up(struct net *net)
destroy_and_out:
    svc_destroy(serv);
out:
-   if (!error) {
-       struct lockd_net *ln = net_generic(net, lockd_net_id);
-
-       ln->nlmsvc_users++;

```

```

+ if (!error)
    nlmsvc_users++;
- }
mutex_unlock(&nlmsvc_mutex);
return error;
+
+err_start:
+ lockd_down_net(net);
+ goto destroy_and_out;
}
EXPORT_SYMBOL_GPL(lockd_up);

@@ -386,11 +390,10 @@ void
lockd_down(struct net *net)
{
    mutex_lock(&nlmsvc_mutex);
+ lockd_down_net(net);
    if (nlmsvc_users) {
- if (--nlmsvc_users) {
-    lockd_down_net(net);
+ if (--nlmsvc_users)
        goto out;
- }
    } else {
        printk(KERN_ERR "lockd_down: no users! task=%p\n",
            nlmsvc_task);
diff --git a/fs/nfs/callback.c b/fs/nfs/callback.c
index 26b38fb..cff3940 100644
--- a/fs/nfs/callback.c
+++ b/fs/nfs/callback.c
@@ -314,6 +314,8 @@ out_err:
    dprintk("NFS: Couldn't create callback socket or server thread; "
        "err = %d\n", ret);
    cb_info->users--;
+ if (serv)
+    svc_shutdown_net(serv, net);
    goto out;
}

@@ -328,6 +330,7 @@ void nfs_callback_down(int minorversion)
    cb_info->users--;
    if (cb_info->users == 0 && cb_info->task != NULL) {
        kthread_stop(cb_info->task);
+    svc_shutdown_net(cb_info->serv, current->nsp proxy->net_ns);
        svc_exit_thread(cb_info->rqst);
        cb_info->serv = NULL;
        cb_info->rqst = NULL;
diff --git a/fs/nfsd/nfsctl.c b/fs/nfsd/nfsctl.c

```

```

index 7269988..c55298e 100644
--- a/fs/nfsd/nfsctl.c
+++ b/fs/nfsd/nfsctl.c
@@ -661,6 +661,7 @@ static ssize_t __write_ports_addfd(char *buf)
{
    char *mesg = buf;
    int fd, err;
+ struct net *net = &init_net;

    err = get_int(&mesg, &fd);
    if (err != 0 || fd < 0)
@@ -672,6 +673,8 @@ static ssize_t __write_ports_addfd(char *buf)

    err = svc_addsock(nfsd_serv, fd, buf, SIMPLE_TRANSACTION_LIMIT);
    if (err < 0) {
+     if (nfsd_serv->sv_nrthreads == 1)
+         svc_shutdown_net(nfsd_serv, net);
        svc_destroy(nfsd_serv);
        return err;
    }
@@ -709,6 +712,7 @@ static ssize_t __write_ports_addxprt(char *buf)
char transport[16];
struct svc_xprt *xprt;
int port, err;
+ struct net *net = &init_net;

if (sscanf(buf, "%15s %4u", transport, &port) != 2)
    return -EINVAL;
@@ -720,12 +724,12 @@ static ssize_t __write_ports_addxprt(char *buf)
if (err != 0)
    return err;

- err = svc_create_xprt(nfsd_serv, transport, &init_net,
+ err = svc_create_xprt(nfsd_serv, transport, net,
    PF_INET, port, SVC SOCK ANONYMOUS);
if (err < 0)
    goto out_err;

- err = svc_create_xprt(nfsd_serv, transport, &init_net,
+ err = svc_create_xprt(nfsd_serv, transport, net,
    PF_INET6, port, SVC SOCK ANONYMOUS);
if (err < 0 && err != -EAFNOSUPPORT)
    goto out_close;
@@ -734,12 +738,14 @@ static ssize_t __write_ports_addxprt(char *buf)
nfsd_serv->sv_nrthreads--;
return 0;
out_close:
- xprt = svc_find_xprt(nfsd_serv, transport, &init_net, PF_INET, port);

```

```

+ xprt = svc_find_xprt(nfsd_serv, transport, net, PF_INET, port);
if (xprt != NULL) {
    svc_close_xprt(xprt);
    svc_xprt_put(xprt);
}
out_err:
+ if (nfsd_serv->sv_nrthreads == 1)
+ svc_shutdown_net(nfsd_serv, net);
    svc_destroy(nfsd_serv);
    return err;
}
diff --git a/fs/nfsd/nfssvc.c b/fs/nfsd/nfssvc.c
index 0762f3c..ee709fc 100644
--- a/fs/nfsd/nfssvc.c
+++ b/fs/nfsd/nfssvc.c
@@ -382,6 +382,7 @@ int nfsd_set_nrthreads(int n, int *nthreads)
int i = 0;
int tot = 0;
int err = 0;
+ struct net *net = &init_net;

WARN_ON(!mutex_is_locked(&nfsd_mutex));

@@ -426,6 +427,9 @@ int nfsd_set_nrthreads(int n, int *nthreads)
if (err)
    break;
}
+
+ if (nfsd_serv->sv_nrthreads == 1)
+ svc_shutdown_net(nfsd_serv, net);
    svc_destroy(nfsd_serv);

return err;
@@ -441,6 +445,7 @@ nfsd_svc(unsigned short port, int nrsvs)
{
int error;
bool nfsd_up_before;
+ struct net *net = &init_net;

mutex_lock(&nfsd_mutex);
dprintk("nfsd: creating service\n");
@@ -473,6 +478,8 @@ out_shutdown:
if (error < 0 && !nfsd_up_before)
    nfsd_shutdown();
out_destroy:
+ if (nfsd_serv->sv_nrthreads == 1)
+ svc_shutdown_net(nfsd_serv, net);
    svc_destroy(nfsd_serv); /* Release server */

```

```

out:
    mutex_unlock(&nfsd_mutex);
@@ -556,6 +563,9 @@ nfsd(void *vrqstp)
    nfsdstats.th_cnt --;

out:
+ if (rqstp->rq_server->sv_nrthreads == 1)
+ svc_shutdown_net(rqstp->rq_server, &init_net);
+
/* Release the thread */
svc_exit_thread(rqstp);

@@ -668,8 +678,12 @@ int nfsd_pool_stats_open(struct inode *inode, struct file *file)
int nfsd_pool_stats_release(struct inode *inode, struct file *file)
{
    int ret = seq_release(inode, file);
+ struct net *net = &init_net;
+
    mutex_lock(&nfsd_mutex);
    /* this function really, really should have been called svc_put() */
+ if (nfsd_serv->sv_nrthreads == 1)
+ svc_shutdown_net(nfsd_serv, net);
    svc_destroy(nfsd_serv);
    mutex_unlock(&nfsd_mutex);
    return ret;
diff --git a/net/sunrpc/svc.c b/net/sunrpc/svc.c
index e6d542c..b7210f5 100644
--- a/net/sunrpc/svc.c
+++ b/net/sunrpc/svc.c
@@ -537,8 +537,6 @@ EXPORT_SYMBOL_GPL(svc_shutdown_net);
void
svc_destroy(struct svc_serv *serv)
{
- struct net *net = current->nsproxy->net_ns;
-
    dprintk("svc: svc_destroy(%s, %d)\n",
           serv->sv_program->pg_name,
           serv->sv_nrthreads);
@@ -553,8 +551,6 @@ svc_destroy(struct svc_serv *serv)

    del_timer_sync(&serv->sv_temptimer);

- svc_shutdown_net(serv, net);
-
/*
 * The last user is gone and thus all sockets have to be destroyed to
 * the point. Check this.

```
