
Subject: [RFC] alternative mechanism to skip memcg kmem allocations
Posted by [Glauber Costa](#) on Tue, 08 May 2012 03:37:18 GMT
[View Forum Message](#) <> [Reply to Message](#)

Since Kame expressed the wish to see a context-based method to skip accounting for caches, I came up with the following proposal for your appreciation.

It basically works in the same way as `preempt_disable()/preempt_enable()`:
By marking a region under which all allocations will be accounted to the root memcg.

I basically see two main advantages of it:

- * No need to clutter the code with `*_noaccount` functions; they could become specially widespread if we needed to skip accounting for `kmalloc` variants like `track`, `zalloc`, etc.
- * Works with other caches, not only `kmalloc`; specially interesting since during cache creation we touch things like `cache_cache`, that could very well be wrapped inside a `noaccount` region.

However:

- * It touches `task_struct`
- * It is harder to keep drivers away from using it. With `kmalloc_no_account` we could simply not export it. Here, one can always set this in the `task_struct`...

Let me know what you think of it.

Signed-off-by: Glauber Costa <glommer@parallels.com>
CC: Christoph Lameter <cl@linux.com>
CC: Pekka Enberg <penberg@cs.helsinki.fi>
CC: Michal Hocko <mhocko@suse.cz>
CC: Kamezawa Hiroyuki <kamezawa.hiroyu@jp.fujitsu.com>
CC: Johannes Weiner <hannes@cmpxchg.org>
CC: Suleiman Souhlal <suleiman@google.com>

```
include/linux/sched.h | 1 +
mm/memcontrol.c       | 34 +++++
2 files changed, 35 insertions(+), 0 deletions(-)
```

```
diff --git a/include/linux/sched.h b/include/linux/sched.h
index 81a173c..516a9fe 100644
--- a/include/linux/sched.h
+++ b/include/linux/sched.h
@@ -1613,6 +1613,7 @@ struct task_struct {
     unsigned long nr_pages; /* uncharged usage */
```

```

    unsigned long memsw_nr_pages; /* uncharged mem+swap usage */
} memcg_batch;
+ int memcg_kmem_skip_account;
#endif
#ifdef CONFIG_HAVE_HW_BREAKPOINT
    atomic_t ptrace_bp_refcnt;
diff --git a/mm/memcontrol.c b/mm/memcontrol.c
index 8c7c404..833f4cd 100644
--- a/mm/memcontrol.c
+++ b/mm/memcontrol.c
@@ -479,6 +479,33 @@ struct cg_proto *tcp_proto_cgroup(struct mem_cgroup *memcg)
EXPORT_SYMBOL(tcp_proto_cgroup);
#endif /* CONFIG_INET */

+static void memcg_stop_kmem_account(void)
+{
+ struct task_struct *p;
+
+ if (!current->mm)
+ return;
+
+ p = rcu_dereference(current->mm->owner);
+ if (p) {
+ task_lock(p);
+ p->memcg_kmem_skip_account = true;
+ }
+}
+
+static void memcg_start_kmem_account(void)
+{
+ struct task_struct *p;
+
+ if (!current->mm)
+ return;
+
+ p = rcu_dereference(current->mm->owner);
+ if (p) {
+ p->memcg_kmem_skip_account = false;
+ task_unlock(p);
+ }
+}
char *mem_cgroup_cache_name(struct mem_cgroup *memcg, struct kmem_cache *cachep)
{
    char *name;
@@ -541,7 +568,9 @@ static struct kmem_cache *memcg_create_kmem_cache(struct
mem_cgroup *memcg,
    if (new_cachep)
        goto out;

```

```

+ memcg_stop_kmem_account();
  new_cachep = kmem_cache_dup(memcg, cachep);
+ memcg_start_kmem_account();

  if (new_cachep == NULL) {
    new_cachep = cachep;
@@ -634,7 +663,9 @@ static void memcg_create_cache_enqueue(struct mem_cgroup *memcg,
  if (!css_tryget(&memcg->css))
    return;

+ memcg_stop_kmem_account();
  cw = kmalloc(sizeof(struct create_work), GFP_NOWAIT);
+ memcg_start_kmem_account();
  if (cw == NULL) {
    css_put(&memcg->css);
    return;
@@ -678,6 +709,9 @@ struct kmem_cache *__mem_cgroup_get_kmem_cache(struct
kmem_cache *cachep,
  VM_BUG_ON(idx == -1);

  p = rcu_dereference(current->mm->owner);
+ if (p->memcg_kmem_skip_account)
+ return cachep;
+
  memcg = mem_cgroup_from_task(p);

  if (!mem_cgroup_kmem_enabled(memcg))
--

```

1.7.7.6
