
Subject: [PATCH v2 17/29] slab: create duplicate cache
Posted by [Glauber Costa](#) on Fri, 11 May 2012 17:44:19 GMT
[View Forum Message](#) <> [Reply to Message](#)

This patch provides kmem_cache_dup(), that duplicates a cache for a memcg, preserving its creation properties. Object size, alignment and flags are all respected. An exception is the SLAB_PANIC flag, since cache creation inside a memcg should not be fatal.

This code is mostly written by Suleiman Souhlal, with some adaptations and simplifications by me.

Signed-off-by: Glauber Costa <glommer@parallels.com>
CC: Christoph Lameter <cl@linux.com>
CC: Pekka Enberg <penberg@cs.helsinki.fi>
CC: Michal Hocko <mhocko@suse.cz>
CC: Kamezawa Hiroyuki <kamezawa.hiroyu@jp.fujitsu.com>
CC: Johannes Weiner <jannes@cmpxchg.org>
CC: Suleiman Souhlal <suleiman@google.com>

mm/slab.c | 32 ++++++
1 files changed, 32 insertions(+), 0 deletions(-)

```
diff --git a/mm/slab.c b/mm/slab.c
index d05a326..985714a 100644
--- a/mm/slab.c
+++ b/mm/slab.c
@@ -301,6 +301,8 @@ static void free_block(struct kmem_cache *cachep, void **objpp, int len,
    int node);
static int enable_cpucache(struct kmem_cache *cachep, gfp_t gfp);
static void cache_reap(struct work_struct *unused);
+static int do_tune_cpucache(struct kmem_cache *cachep, int limit,
+   int batchcount, int shared, gfp_t gfp);

/*
 * This function must be completely optimized away if a constant is passed to
@@ -2598,6 +2600,36 @@ kmem_cache_create(const char *name, size_t size, size_t align,
EXPORT_SYMBOL(kmem_cache_create);

#endif CONFIG_CGROUP_MEM_RES_CTLR_KMEM
+struct kmem_cache *kmem_cache_dup(struct mem_cgroup *memcg,
+   struct kmem_cache *cachep)
+{
+ struct kmem_cache *new;
+ unsigned long flags;
+ char *name;
+
```

```
+ name = mem_cgroup_cache_name(memcg, cachep);
+ if (!name)
+ return NULL;
+
+ flags = cachep->flags & ~(SLAB_PANIC|CFLGS_OFF_SLAB);
+ mutex_lock(&cache_chain_mutex);
+ new = __kmem_cache_create(memcg, name, obj_size(cachep),
+   cachep->memcg_params.orig_align, flags, cachep->ctor);
+
+ if (new == NULL)
+ goto out;
+
+ if ((cachep->limit != new->limit) ||
+   (cachep->batchcount != new->batchcount) ||
+   (cachep->shared != new->shared))
+ do_tune_cpucache(new, cachep->limit, cachep->batchcount,
+   cachep->shared, GFP_KERNEL);
+out:
+ mutex_unlock(&cache_chain_mutex);
+ kfree(name);
+ return new;
+}
+
 static int __init memcg_slab_register_all(void)
{
    struct kmem_cache *cachep;
--
```

1.7.7.6
