
Subject: Re: [PATCH v3] NFS: put net on idr allocation failure
Posted by [Myklebust, Trond](#) on Tue, 22 May 2012 14:37:41 GMT
[View Forum Message](#) <[Reply to Message](#)

On Tue, 2012-05-22 at 12:03 +0400, Stanislav Kinsbursky wrote:
> Signed-off-by: Stanislav Kinsbursky <skinsbursky@parallels.com>
> ---
> fs/nfs/client.c | 4 +++-
> 1 files changed, 3 insertions(+), 1 deletions(-)
>
> diff --git a/fs/nfs/client.c b/fs/nfs/client.c
> index 44cd70f..ae29d4f 100644
> --- a/fs/nfs/client.c
> +++ b/fs/nfs/client.c
> @@ -176,8 +176,10 @@ static struct nfs_client *nfs_alloc_client(const struct nfs_client_initdata
*cl_
>
> #ifdef CONFIG_NFS_V4
> err = nfs_get_cb_ident_idr(clp, cl_init->minorversion);
> - if (err)
> + if (err) {
> + put_net(clp->net);
> goto error_cleanup;
> + }
>
> spin_lock_init(&clp->cl_lock);
> INIT_DELAYED_WORK(&clp->cl_renewd, nfs4_renew_state);
>

Let's just move the actual get_net() call to the end of the function.

--
Trond Myklebust
Linux NFS client maintainer

NetApp
Trond.Myklebust@netapp.com
www.netapp.com
