
Subject: Re: [PATCH] NFSd: fix locking in nfsd_forget_delegations()
Posted by [bfields](#) on Wed, 23 May 2012 21:31:58 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Tue, May 22, 2012 at 02:25:14PM +0400, Stanislav Kinsbursky wrote:
> This patch adds recall_lock hold to nfsd_forget_delegations() to protect
> nfsd_process_n_delegations() call.
> Also, looks like it would be better to collect delegations to some local
> on-stack list, and then unhash collected list. This split allows to simplify
> locking, because delegation traversing is protected by recall_lock, when
> delegation unhash is protected by client_mutex.

All this indirection is getting a little much.

How about replacing nfsd_process_n_delegations by something that always
does the list-move?:

```
void nfsd_forget_delegations(u64 num)
{
    unsigned int count;
    list_head victims;

    nfs4_lock_state();
    count = nfsd_get_n_delegations(num, &victims);
    list_for_each_entry_safe(..., &victims, ...)
        unhash_delegation();
    unlock_state();
}
```

ditto for recall_delegations, and take the recall_lock inside
nfsd_get_n_delegations?

Or something like that.

--b.

```
>
> Signed-off-by: Stanislav Kinsbursky <skinsbursky@parallels.com>
> ---
> fs/nfsd/nfs4state.c | 32 ++++++-----
> 1 files changed, 24 insertions(+), 8 deletions(-)
>
> diff --git a/fs/nfsd/nfs4state.c b/fs/nfsd/nfs4state.c
> index 21266c7..f004e61 100644
> --- a/fs/nfsd/nfs4state.c
> +++ b/fs/nfsd/nfs4state.c
> @@ -2597,7 +2597,7 @@ out:
>     return ret;
```

```

> }
>
> -static void nfsd_break_one_deleg(struct nfs4_delegation *dp)
> +static void nfsd_break_one_deleg(struct nfs4_delegation *dp, void *data)
> {
>  /* We're assuming the state code never drops its reference
>   * without first removing the lease. Since we're in this lease
>  @@ -2633,7 +2633,7 @@ static void nfsd_break_deleg_cb(struct file_lock *fl)
>   spin_lock(&recall_lock);
>   fp->fi_had_conflict = true;
>   list_for_each_entry(dp, &fp->fi_delegations, dl_perfile)
> - nfsd_break_one_deleg(dp);
> + nfsd_break_one_deleg(dp, NULL);
>   spin_unlock(&recall_lock);
> }
>
> @@ -4694,7 +4694,7 @@ void nfsd_forget_openowners(u64 num)
>  printk(KERN_INFO "NFSD: Forgot %d open owners", count);
> }
>
> -int nfsd_process_n_delegations(u64 num, void (*deleg_func)(struct nfs4_delegation *))
> +int nfsd_process_n_delegations(u64 num, void (*deleg_func)(struct nfs4_delegation *, void *),
void *data)
> {
>  int i, count = 0;
>  struct nfs4_file *fp, *fnext;
>  @@ -4703,7 +4703,7 @@ int nfsd_process_n_delegations(u64 num, void (*deleg_func)(struct
nfs4_delegatio
>   for (i = 0; i < FILE_HASH_SIZE; i++) {
>     list_for_each_entry_safe(fp, fnext, &file_hashtbl[i], fi_hash) {
>     list_for_each_entry_safe(dp, dnext, &fp->fi_delegations, dl_perfile) {
> -     deleg_func(dp);
> +     deleg_func(dp, data);
>     if (++count == num)
>       return count;
>   }
>  @@ -4713,15 +4713,31 @@ int nfsd_process_n_delegations(u64 num, void
(*deleg_func)(struct nfs4_delegatio
>   return count;
> }
>
> +/* Called under the recall_lock spinlock. */
> +static void
> +collect_delegation(struct nfs4_delegation *dp, void *data)
> +{
> + struct list_head *list = data;
> +
> + list_move(&dp->dl_perfile, list);

```

```

> +}
> +
> void nfsd_forget_delegations(u64 num)
> {
>     unsigned int count;
> + struct nfs4_delegation *dp, *dnext;
> + LIST_HEAD(unhash_list);
>
> - nfs4_lock_state();
> - count = nfsd_process_n_delegations(num, unhash_delegation);
> - nfs4_unlock_state();
> + spin_lock(&recall_lock);
> + count = nfsd_process_n_delegations(num, collect_delegation, &unhash_list);
> + spin_unlock(&recall_lock);
>
>     printk(KERN_INFO "NFSD: Forgot %d delegations", count);
> +
> + nfs4_lock_state();
> + list_for_each_entry_safe(dp, dnext, &unhash_list, dl_perfile)
> +     unhash_delegation(dp);
> + nfs4_unlock_state();
> }
>
> void nfsd_recall_delegations(u64 num)
> @@ -4730,7 +4746,7 @@ void nfsd_recall_delegations(u64 num)
>
>     nfs4_lock_state();
>     spin_lock(&recall_lock);
> - count = nfsd_process_n_delegations(num, nfsd_break_one_deleg);
> + count = nfsd_process_n_delegations(num, nfsd_break_one_deleg, NULL);
>     spin_unlock(&recall_lock);
>     nfs4_unlock_state();
>
>

```
