
Subject: Re: [PATCH] NFS: hard-code init_net for NFS callback transports
Posted by [bfields](#) on Mon, 11 Jun 2012 12:37:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Fri, Jun 01, 2012 at 01:55:47PM +0400, Stanislav Kinsbursky wrote:

- > This patch set is a bug fix for Bruce's 3.5 branch.
- > I'll rebase this for 3.4 and resend.

Apologies for neglecting this, I'm done with the bakeathon and should be back to this soon.

But, I'm a bit confused: you say you'll rebase this, but I've only seen two rebased patches for 3.4, and neither looks like a simple rebase of this one.

OK, I'll look more closely and probably I'll figure out. But in general, a little more detail in changelogs would help me process patches more quickly:

- Please make sure it's clear whether a given patch is a bug fix, a new feature, or code reshuffling that isn't intended to change behavior. If it's a bug fix, tell me whether we've had the bug forever or whether it's a recent regression. And (relevant here) if it's a recent regression, reference the ID of the commit that introduced it.
- If something is a backport, please reference in the changelog the commit ID of the backported patch, especially if it's not obviously the same.

--b.

>

> In case of destroying mount namespace on child reaper exit, nsproxy is zeroed
> to the point already. So, dereferencing of it is invalid.
> This patch hard-code "init_net" for all network namespace references for NFS
> callback services. This will be fixed with proper NFS callback
> containerization.

>

> Signed-off-by: Stanislav Kinsbursky <skinsbursky@parallels.com>

> ---

> fs/nfs/callback.c | 11 +++++-----

> 1 files changed, 5 insertions(+), 6 deletions(-)

>

> diff --git a/fs/nfs/callback.c b/fs/nfs/callback.c

> index 970659d..23ff18f 100644

> --- a/fs/nfs/callback.c

> +++ b/fs/nfs/callback.c

```

> @@ -17,7 +17,6 @@
> #include <linux/kthread.h>
> #include <linux/sunrpc/svcauth_gss.h>
> #include <linux/sunrpc/bc_xprt.h>
> -#include <linux/nsproxy.h>
>
> #include <net/inet_sock.h>
>
> @@ -107,7 +106,7 @@ nfs4_callback_up(struct svc_serv *serv, struct rpc_xprt *xprt)
> {
>     int ret;
>
> -     ret = svc_create_xprt(serv, "tcp", xprt->xprt_net, PF_INET,
> +     ret = svc_create_xprt(serv, "tcp", &init_net, PF_INET,
>         nfs_callback_set_tcpport, SVC_SOCK_ANONYMOUS);
>     if (ret <= 0)
>         goto out_err;
> @@ -115,7 +114,7 @@ nfs4_callback_up(struct svc_serv *serv, struct rpc_xprt *xprt)
>     dprintk("NFS: Callback listener port = %u (af %u)\n",
>         nfs_callback_tcpport, PF_INET);
>
> -     ret = svc_create_xprt(serv, "tcp", xprt->xprt_net, PF_INET6,
> +     ret = svc_create_xprt(serv, "tcp", &init_net, PF_INET6,
>         nfs_callback_set_tcpport, SVC_SOCK_ANONYMOUS);
>     if (ret > 0) {
>         nfs_callback_tcpport6 = ret;
> @@ -184,7 +183,7 @@ nfs41_callback_up(struct svc_serv *serv, struct rpc_xprt *xprt)
>         * fore channel connection.
>         * Returns the input port (0) and sets the svc_serv bc_xprt on success
>     */
> -     ret = svc_create_xprt(serv, "tcp-bc", xprt->xprt_net, PF_INET, 0,
> +     ret = svc_create_xprt(serv, "tcp-bc", &init_net, PF_INET, 0,
>         SVC_SOCK_ANONYMOUS);
>     if (ret < 0) {
>         rqstp = ERR_PTR(ret);
> @@ -254,7 +253,7 @@ int nfs_callback_up(u32 minorversion, struct rpc_xprt *xprt)
>     char svc_name[12];
>     int ret = 0;
>     int minorversion_setup;
> -     struct net *net = current->nsproxy->net_ns;
> +     struct net *net = &init_net;
>
>     mutex_lock(&nfs_callback_mutex);
>     if (cb_info->users++ || cb_info->task != NULL) {
> @@ -330,7 +329,7 @@ void nfs_callback_down(int minorversion)
>     cb_info->users--;
>     if (cb_info->users == 0 && cb_info->task != NULL) {
>         kthread_stop(cb_info->task);

```

```
> - svc_shutdown_net(cb_info->serv, current->nsproxy->net_ns);
> + svc_shutdown_net(cb_info->serv, &init_net);
>   svc_exit_thread(cb_info->rqst);
>   cb_info->serv = NULL;
>   cb_info->rqst = NULL;
>
```
