
Subject: [PATCH 1/2] account guest time per-cgroup as well.
Posted by [Glauber Costa](#) on Wed, 20 Jun 2012 11:38:15 GMT
[View Forum Message](#) <> [Reply to Message](#)

We already track multiple tick statistics per-cgroup, using the `task_group_account_field` facility. This patch accounts `guest_time` in that manner as well.

Signed-off-by: Glauber Costa <glommer@parallels.com>
CC: Peter Zijlstra <a.p.zijlstra@chello.nl>
CC: Paul Turner <pjt@google.com>

kernel/sched/core.c | 10 +++++-----
1 file changed, 4 insertions(+), 6 deletions(-)

diff --git a/kernel/sched/core.c b/kernel/sched/core.c

index f442060..4ce68f6 100644

--- a/kernel/sched/core.c

+++ b/kernel/sched/core.c

@@ -2689,8 +2689,6 @@ void account_user_time(struct task_struct *p, cputime_t cputime,
static void account_guest_time(struct task_struct *p, cputime_t cputime,
cputime_t cputime_scaled)

{
- u64 *cpustat = kcpustat_this_cpu->cpustat;

-
/* Add guest time to process. */
p->utime += cputime;
p->utimescaled += cputime_scaled;
@@ -2699,11 +2697,11 @@ static void account_guest_time(struct task_struct *p, cputime_t
cputime,

/* Add guest time to cpustat. */
if (TASK_NICE(p) > 0) {
- cpustat[CPUTIME_NICE] += (__force u64) cputime;
- cpustat[CPUTIME_GUEST_NICE] += (__force u64) cputime;
+ task_group_account_field(p, CPUTIME_NICE, (__force u64) cputime);
+ task_group_account_field(p, CPUTIME_GUEST, (__force u64) cputime);
} else {
- cpustat[CPUTIME_USER] += (__force u64) cputime;
- cpustat[CPUTIME_GUEST] += (__force u64) cputime;
+ task_group_account_field(p, CPUTIME_USER, (__force u64) cputime);
+ task_group_account_field(p, CPUTIME_GUEST, (__force u64) cputime);
}
}

--
1.7.10.2
